OXFOR INTERNATION AQA EXAMINA	XD NAL TIONS		
Please write clea	arly in block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signa	ture		

c3WbVZ6MtkYWU0

INTERNATIONAL GCSE Physics

Paper 2

Thursday 7 June 2018 07:00 GMT

Time allowed: 1 hour 30 minutes

www.igexams.com

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the box at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 90.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	





















box





Turn over ►





0 2.5	Determine the resistance of the resistor when the p.d. across it is 5.0 V.	Do not write outside the box
	Give the unit.	
	Use the Physics Equations Sheet. [4 marks]	
	Resistance = Unit	
02.6	The student replaced the resistor with a different component and repeated the investigation.	
	A sketch graph of the results is shown in Figure 5 .	
	Figure 5	
	Current Potential difference	
	Explain why the current and p.d. for this component vary as shown in Figure 5 . [4 marks]	
		13



0 3	Figure 6 shows three parallel rays of light entering a convex (converging) lens.	Do not write outside the box
	Figure 6	
	Lens Principal focus	
03.1	Complete Figure 6 to show how the rays of light are brought to a focus. [1 mark]	
03.2	Complete the sentence. Choose an answer from the box. [1 mark]	
	focal length focal point lens power object distance	
	The distance from the centre of the lens to the principal focus is called the	



box



	Convex lenses are used to correct long sight.	Do not writ outside the box
03.5	Explain what is meant by long sight. [2 marks]	
03.6	Complete the sentence. Choose an answer from the box. [1 mark]	
	25 mm 25 cm 250 cm 25 m	
	For a normal eye, the near point is approximately from the eye.	

box

Turn over ►

13

04.2	The brakes were applied. The average braking force was 15 kN.	Do not write outside the box
	The car travelled 60 m while braking.	
	Calculate the work done by the braking force.	
	Use the Physics Equations Sheet.	
	[3 marks]	
	Work done = J	
04.3	Determine the kinetic energy of the car immediately after braking.	
	[1 mark]	
	Kinetic energy =	
	Question 4 continues on the next page	
	Turn over ►	

not write Itside the box
12

0 5.3	Figure 13 shows an	other wire shaped to for	m a solenoid.		Do not write outside the box
		Figure 13			
	Complete the senter	nce. Choose an answer	from the box.	[1 mark]	
	circular	perpendicular	rectangular	uniform	
	When there is a curr	rent in the wire, the mag	netic field inside the		
	solenoid is				
	Ques	stion 5 continues on th	e next page		
				Turn over >	

05.5	The door lock is held in place by two identical springs. When the electromagnet is turned on, the energy stored by each spring is 0.125 J. The spring constant of each spring is 100 N/m. Calculate the extension of each spring. Give your answer in millimetres. Use the Physics Equations Sheet. [4 marks]	Do not write outside the box
	Extension = mm	
	Question 5 continues on the next page	
2 1	Turn over ► IB/G/Jun18/92032	

0 5.6	Figure 15 shows two springs, arranged in the same way as those in the door lock.	Do not write outside the box
	Figure 15	
	Springs	
	100 g slotted masses and hanger	
	Plan an experiment to determine the spring constant of this arrangement of springs. [6 marks]	
		17

https://t.me/joinchat/wwc3WbVZ6MtkYWU0

06	Bananas contain a radioactive isotope of potassium (K).	Do not write outside the box
06.1	There are different isotopes of the element potassium.	
	What is meant by isotopes of an element? [2 marks]	
0 6.2	An isotope of potassium decays into argon (Ar) by emitting a beta particle (β).	
	$^{40}_{19}\text{K} \rightarrow ~^{40}_{20}\text{Ar} + ~^{0}_{-1}\beta$	
	Compare the numbers of protons and neutrons in the argon nucleus to those in the potassium nucleus. [2 marks]	

	 The student used the following method Measure the count in one minute v Measure the count in one minute v Repeat the measurements several 	d: without the banana. with the banana present. I times.	
	Table 2 shows the student's results.		
	Table	2	
	Count in one minute without the banana	Count in one minute with the banana	
	21	23	
	20	21	
	21	21	
	18	22	
	19	18	
	20	24	
06.4	Explain one improvement to the stude	ent's method.	[4 marks]
0 6.4	Explain one improvement to the stude	ent's method.	[4 marks]
0 6.4	Explain one improvement to the stude	ent's method.	[4 marks]
0 6.4	Explain one improvement to the stude	ent's method.	[4 marks]

https://t.me/joinchat/wwc3WbVZ6MtkYWU0

https://t.me/joinchat/wwc3WbVZ6MtkYWU0

0 7.4	Estimates of the age of the universe have continued to improve.	Do not write outside the box
	Suggest why. [2 marks]	
07.5	Hubble's data led to the Big Bang theory. This is the only theory that can explain the existence of Cosmic Microwave Background Radiation (CMBR).	
	Explain what is meant by CMBR. [2 marks]	
		11

0 8	Figure 18 shows a helicopter that is stationary in the air.	Do not write outside the box
	Figure 18	
	Rotor blades	
0 8.1	The weight of the helicopter is 81 000 N.	
	Explain the size and direction of the force that the rotor blades apply to the air. [3 marks]	
08.2	In one second, the rotor blades increase the velocity of a mass of air by 26 m/s. Calculate the mass of air moved by the blades in one second.	
	Use the Physics Equations Sheet.	
	[3 marks]	
	Mass of air = kg	6
	END OF QUESTIONS	

