Transport in Animals Mark Scheme 2

Level	IGCSE
Subject	Biology
Exam Board	CIE
Торіс	Transport in Animals
Paper Type	(Extended) Theory Paper
Booklet	Mark Scheme 2

Time Allowed:	69 minutes
Score:	/57
Percentage:	/100

1	(a)					
		substance	direction of movement	reason		one mark per row
		amino acids	to fetus/from mother	make proteins/translation/ growth / make cells/AW;		
		carbon dioxide	from fetus	waste gas from respiration		
		glucose	fetus/from mother	(release) energy/respiration/ stored as glycogen;		
		oxygen	fetus/from mother	(gas for) respiration;		
		urea	f fetus/to mother	excretion/metabolic waste;	4	A nitrogenous waste
					-	

Question		Marks	Additional Guidance
1 (b)	iron: for red blood cells/haemoglobin/to transport oxygen/prevent anemia; vitamin D: absorption of calcium; growth/formation/strengthening, of bones/teeth; preventing rickets;	max 2	max 1 from vitamin D
(c) (i)	lymphocytes/white blood cells/leucocytes;	1	white cells unqualified
(ii)	provides (passive) <u>immunity;</u> protects against, infection/illness/disease/pathogen(s)/AW; reference to disease(s) mother has had; immune system of babies not yet developed; any one function of antibodies;	max 3	 functions of antibodies: stop pathogens spreading (in the body) stop pathogens entering cells stop pathogens dividing/reproducing/ increasing in number cause pathogens to, clump/agglutinate immobilise bacteria kill bacteria make it easier for phagocytes to ingest pathogens neutralise toxin(s)/make toxins harmless
(iii)	bonding/AW, with mother; it's free/'cheap'; sterile/no risk of infection; body temperature; no preparation/easily available; provides, best/complete/most suitable/balanced/AW, nutrients/food; composition/quantity, of breast milk changes to match development; easier to digest/reduced risk of colic; reduce risk of allergies; contraceptive effect; AVP;	max 4	AVPs: no additives protects against, <u>breast</u> cancer/ <u>ovarian</u> cancer children less likely to develop diabetes helps the mother's body to return to 'normal', e.g. weight loss/restores uterus
		[Total: 14]	

Qu	estion		Marks	Additional Guidance
2	(a)	 thick, wall; withstands (blood) pressure; 		max 3 for structures (MP1, 3, 5, 7 and 9) function marks (MP2, 4, 6, 8, 10) must relate to a structure
		 3 muscular tissue; 4 vasoconstriction/vasodilation; 		A tunica media and tunica externa for wall
		 5 elastic (tissue); 6 recoils to maintain (blood) pressure/smoothes out blood flow; 		I reference to lining/endothelium
		7 small lumen;8 maintains (blood) pressure;		R increase
		9 fibrous tissue;10 maintains shape/prevents bursting;		
			max 4	
	(b) (i)	<u>13 kPa;</u>	1	
	(ii)	 blood pressure decreases as cross-sectional area increases (to capillaries); 		
		2 continues to decrease / remains constant, as cross-sectional area decreases (in the veins);		
		 speed of blood decreases as cross-sectional area increases (in the capillaries); 		
		4 increases as cross-sectional area decreases in, <u>veins/vena</u> cava;		
			max 3	

Question		Marks	Additional Guidance
2 (C)	(oxygen) diffuses (from blood to tissue fluid); across the, wall/membranes (of the capillary); down a concentration gradient/from high concentration to low concentration; pressure forces out, water/(named) solutes; (pressure) filtration;	max 3	
(d)	muscle(s) in arteriole contract; arterioles constrict/vasoconstriction occurs; less blood flows to, skin/capillaries; decrease in loss of heat (from the blood) by, radiation/conduction/ convection; AVP;	max 3	I capillaries, vasoconstrict/constrict A 'stops blood flow to skin' R movement of arterioles/capillaries away from the surface of skin/AW A prevent heat loss by, radiation/conduction/convection e.g. ref to shunt vessel(s)/blood taking a deeper route
		[Total: 14]	

³ (a) (i)	red blood cell ;	[1]	
(ii)	plasma ;	[1]	
(iii)	capillary ;	[1]	
(b)	oxygen ; carbon dioxide ; water ; glucose ; sodium ions ; amino acids ; urea, (named) hormone(s) ; AVP ;;; e.g. lactic acid	max [3]	
(c) (i)	1150 (%)	[1]	look in the space for working if answer is not in table
(ii)	<pre>increase in energy demand in muscle ; for contraction (of muscle) ; increase in respiration in muscle ; increase in blood flow supplies more oxygen ; for aerobic respiration ; more glucose ; more, fat / fatty acids ; increase in blood flow removes carbon dioxide ; lactate / lactic acid ;</pre>		A lot of energy A lot of oxygen
	from anaerobic respiration ;	max [5]	

3 (iii)	<pre>max 3 for increase blood flow vasodilation ; muscle in wall relaxes ; arterioles / arteries ; widen / dilate ; more blood flows to capillaries ; max 3 for decrease blood flow vasoconstriction ; muscle in wall contracts ; arterioles / arteries ; narrow / constrict ; less blood flows to capillaries ;</pre>	max [4]	R 'blood vessels' once only allow ecf for 'blood vessels'
	[Total:16]		

Question	E Answers	Marks	Additional Guidance
4 (a	J – aorta ; K – pulmonary vein ; L – vena cava ; M – pulmonary artery ;	[4]	
(b) (i) 1 2 3 4 5	 J – blood goes to the whole body / greater distance ; M – blood goes to the lungs / shorter distance ; J – blood is pumped by, more muscular, ventricle ; M – blood is pumped by, less muscular, ventricle ; greater resistance to blood flow in circulation to the body / ora ; 	[max 2]	
(ii)	(blood in K and L) travelled through the capillaries ; larger / wider lumen ;	[2]	
(c) 1 2 3 4 5 6	Valve N opens when, atrium contracts ; closes when ventricle contracts ; stops back flow from ventricle to atrium ; Valve O opens when ventricle contracts ; closes when ventricle relaxes ; stops back flow from, J, to ventricle ;	[may 4]	
/	description of way in which valve 'flaps' or 'pockets' prevent backflow ;	[max 4]	
(d)	veins ;	[1]	