

Forces, movement, shape and momentum

Mark Scheme 1

Level	IGCSE(9-1)
Subject	Physics
Exam Board	Edexcel IGCSE
Module	Double Award (Paper 1P)
Topic	Forces and motion
Sub-Topic	Forces, movement, shape and momentum
Booklet	Mark Scheme 1

Time Allowed: 75 minutes

Score: /62

Percentage: /100

Grade Boundaries:

A*	A	B	C	D	E	U
>85%	775%	70%	60%	55%	50%	<50%

Question number	Answer	Notes	Marks
1 (a)	(metre) ruler;	allow set square, tape measure, digital callipers ignore metre stick	1

(b)	<p>Up to five marks, no more than 3 from each section: -</p> <p>Recording data Any three of - MP1. measure original length; MP2. add a (known) weight/force/load/mass; MP3. measure the new length / extension; MP4. Repeat for range of values of load; MP5. Experimental detail;</p> <p>Handling data / conclusions Any three of - MP6. Calculate extension; MP7. Plot graph of extension/length against force/weight/load; MP8. Graph should be a straight line; MP9. Extension graph should pass through origin; MP10. Force proportional to extension;</p>	<p>e.g.</p> <ul style="list-style-type: none"> • distance measurements from the same point each time • use of pointer/indicator • reduce parallax • repeats and average (for each load) <p>Allow length, but not mass calculate k from data k is constant</p> <p>Not for length graph</p> <p>allow load for force</p>	5
-----	---	--	---

Total 6 marks

Question number	Answer	Notes	Marks
2 (a) (i)	kinetic energy = $\frac{1}{2} \times \text{mass} \times \text{velocity}^2$	Accept symbols $\text{KE} = \frac{1}{2} \times m \times v^2$	1
(ii)	Conversion of units; Substitution and rearrangement into correct formula; Calculation; e.g. 18 MJ = 18 000 000 J $v^2 = 18\,000\,000 \times 2 \div 250\,000 (= 144)$ $v = 12 \text{ (m/s)}$	at any stage POT error max 2 marks e.g. 3.8×10^n or 1.2×10^n	3
(iii)	Energy is transferred to surroundings;	Allow to heat, sound, other forms / energy decreases	1

(b)	(i)	Any two of - MP1. $GPE = m.g.h$; MP2. passengers have moved to a higher point/upwards; MP3. work is done to move the passengers; MP4. passengers are further from the centre of the earth;	allow 'lift' for 'passengers' 'gravity force' (still) acts below ground level, reject 'gravity' moved in opposite direction to force of gravity	2
	(ii)	max of 3 from each list to total of 4 When entering station- MP1. $KE \rightarrow GPE$; MP2. Less work done by the brakes (to stop the train); MP3. Less (braking) force needed (to stop) ; MP4. train stops more quickly OR brakes are needed for less time (to stop); When leaving station- MP5. $GPE \rightarrow KE$; MP6. Less work done by the motor (to accelerate); MP7. Less force needed (to accelerate	Allow energy for work an effect on the brakes, e.g. don't get so hot / are quieter / last longer / are less worn Allow less power/ current	4
		the train); MP8. train accelerates more quickly OR force needed for a shorter time (to reach a given speed);	needed motor lasts longer / is less worn	

Question number	Answer	Notes	Marks
3 (a)	9100 (N)		1
(b) (i)	$F = m \times a$;	accept standard symbols or in words or rearranged	1
(ii)	substitution and rearrangement; evaluation; e.g. (a =) 400/910 (a =) 0.44	-1 for POT error allow 0.4, 0.43956044 0.43 gains 1 mark only	2


(c)	<p>any three from:</p> <p>MP1. speed increases; MP2. so drag {starts to act / increases}; MP3. downward forces increase; MP4. (hence) acceleration decreases;</p>	<p>ignore references to the initial acceleration</p> <p>award 1 mark for mention of terminal velocity if no other mark awarded</p> <p>allow air resistance / friction increases allow unbalanced force decreases</p>	3
(d)	<p>acceleration increases;</p> <p>with any one from:</p> <ul style="list-style-type: none"> • weight decreases / downward force reduces; • unbalanced force increases; • mass decreases; 	<p>total marks = 9</p>	2

Question number	Answer	Notes	Marks
4 (a)	(i) 6 (m/s);		1
	(ii) 10 (s);		1
(b)	(i) Acceleration = $\frac{\text{change in velocity}}{\text{time (taken)}}$;	allow accepted symbols	1
	(ii) Substitution in correct equation; Evaluation; Unit; e.g. $12 \div 10$ $= 1.2$ m/s^2	ms^{-2} condone m/s/s	3
(c)	(i) (average) speed = $\frac{\text{distance (moved)}}{\text{time}}$;	allow accepted symbols	1
	(ii) Substitution in correct equation; Evaluation; e.g. $390 \div 60$ 6.5 (m/s)	$(388.5 \div 60 = 6.475)$	2

(d)	MP1 Idea that distance is given by area under the graph; MP2 Comparison of the two <i>areas</i> (<i>by eye or by calculation</i>);	ignore steepness of lines, velocity, acceleration, width NOTE: a valid comparison that includes MP1 +MP2 gains both marks e.g. the first 30s area is larger than the last 30s	2
-----	---	--	---

Total 11 marks

Question number	Answer	Notes	Marks
5 (a)	Any two of - MP1. mention of no zero error; MP2. Mention that ruler is should be vertical; MP3. use of a fiducial marker; MP4. use of ruler with finer calibrations; MP5. means to reduce parallax; MP6. use of calliper ;	Ignore (more) accurate ruler e.g. a pin Allow • more detailed ruler • smaller intervals ignore proximity	2
(b) (i)	Distance		1
(ii)	Any two of - MP1. Idea of weight is the force on the mass / $W=mg$; MP2. change grams to kilogram; MP3. 1N of force for every 100g; MP4. g is 10 (N/kg);	in any form including numerical Accept $\div 1000$ Ignore $\div 100$ without further explanation Allow idea of gravitational field strength Accept $\times 10$	2

Question number	Answer	Notes	Marks														
5 (b) (iii) (iv)	<p>Suitable linear scale chosen (>50% of grid used);</p> <p>Axes labelled with quantities and unit;</p> <p>Plotting correct to nearest half square (minus one for each plotting error); ;</p> <p>Line of best fit acceptable;</p> 	<p>no awkward scale</p> <p>Orientation unimportant</p> <p>i.e. two plotting errors = no marks for plotting</p> <p>i.e. straight line</p> <table border="1" data-bbox="1117 636 1451 933"> <thead> <tr> <th>Force in N</th> <th>Distance h in cm</th> </tr> </thead> <tbody> <tr> <td>0.2</td> <td>4.6</td> </tr> <tr> <td>0.4</td> <td>3.9</td> </tr> <tr> <td>0.6</td> <td>3.1</td> </tr> <tr> <td>0.8</td> <td>2.3</td> </tr> <tr> <td>1.0</td> <td>1.6</td> </tr> <tr> <td>1.2</td> <td>0.9</td> </tr> </tbody> </table>	Force in N	Distance h in cm	0.2	4.6	0.4	3.9	0.6	3.1	0.8	2.3	1.0	1.6	1.2	0.9	5
Force in N	Distance h in cm																
0.2	4.6																
0.4	3.9																
0.6	3.1																
0.8	2.3																
1.0	1.6																
1.2	0.9																

(iv)	<p>straight line seen extended to the force axis; $1.40 \leq F \leq 1.46$ (N);</p>	<p>F value to 3 SF unless line goes through 1.40 accept force = 1.4 Answer in range = two marks</p>	2
(v)	<p>NO mark for Yes/No answer Any two of - MP1. Correct statement of Hooke's law; MP2. graph shows equal decrements for distance with force MP3. (line goes down because) different distance has been measured; MP4. graph does not pass through the origin;</p>	<p>Allow extension is (directly) proportional to force</p> <ul style="list-style-type: none"> • equal steps • the line is straight <p>ignore graph is</p> <ul style="list-style-type: none"> • directly proportional • inversely proportional • negative correlation <ul style="list-style-type: none"> • the "wrong" distance is measured • extension can be worked out from data • more force = larger extension 	2

Total 14 marks

Question number	Answer	Notes	Marks
6 (a) (i)	weight (of toy car);	allow mass	1
	(ii) speed (of toy car);	allow: velocity time (to go down the slope)	1
(b)	any 2 of: MP1. angle/gradient/incline/steepness/height of slope; MP2. same car/eq; MP3. surface of slope; MP4. force at launch; MP5. initial speed; MP6. starting height/position/point (of car); MP7. distance travelled/length of slope;	ignore weather conditions	2

(c)	<table border="1" data-bbox="579 321 1094 857"><tr><td data-bbox="579 321 909 397">battery</td><td data-bbox="909 321 1094 397"></td></tr><tr><td data-bbox="579 397 909 474">joulemeter</td><td data-bbox="909 397 1094 474"></td></tr><tr><td data-bbox="579 474 909 550">micrometer</td><td data-bbox="909 474 1094 550"></td></tr><tr><td data-bbox="579 550 909 626">newtonmeter</td><td data-bbox="909 550 1094 626">✓</td></tr><tr><td data-bbox="579 626 909 703">ruler</td><td data-bbox="909 626 1094 703">(✓)</td></tr><tr><td data-bbox="579 703 909 779">stopwatch</td><td data-bbox="909 703 1094 779">✓</td></tr><tr><td data-bbox="579 779 909 857">thermometer</td><td data-bbox="909 779 1094 857"></td></tr></table> <p data-bbox="506 894 758 959">one correct tick; two correct ticks;</p>	battery		joulemeter		micrometer		newtonmeter	✓	ruler	(✓)	stopwatch	✓	thermometer		<p data-bbox="1188 326 1394 488">allow clear alternative indications e.g. - crosses - shading</p> <p data-bbox="1188 899 1419 997">if more than 2 ticks, -1 for each incorrect tick</p>	2
battery																	
joulemeter																	
micrometer																	
newtonmeter	✓																
ruler	(✓)																
stopwatch	✓																
thermometer																	

(d)	<p>any 5 of:</p> <p>MP1. measure weight/mass;</p> <p>MP2. measure distance (down slope)/start from same point;</p> <p>MP3. measure time/speed (with light gate);</p> <p>MP4. equation seen or described in words: speed = distance / time;</p> <p>MP5. idea that different weights used;</p> <p>MP6. repeat experiment AND average/remove anomalies;</p> <p>MP7. method to improve accuracy, e.g. use of light gates, reaction time considered;</p>	<p>Allow</p> <p>'find out' for measure</p>	<p>5</p>

Total 11 marks