

Forces, movement, shape and momentum

Mark Scheme 5

Level	IGCSE(9-1)
Subject	Physics
Exam Board	Edexcel IGCSE
Module	Single Award (Paper 2P)
Topic	Forces and motion
Sub-Topic	Forces, movement, shape and momentum
Booklet	Mark Scheme 5

Time Allowed: 63 minutes


Score: /52

Percentage: /100

Grade Boundaries:

A*	A	B	C	D	E	U
>85%	775%	70%	60%	55%	50%	<50%

Question number	Answer	Notes	Marks
1 (a)	(i) work done = force × distance (moved);	Accept correct symbols e.g. $W = F \times d$ $W = F \times s$	1
	(ii) substitution; evaluation; e.g. (work =) 140×39 5500 (J)	5460	2
	(iii) same answer as 5(a)(ii)	allow 'the same'	1

<p>(b) (i)</p>	<p>X in line with the weight arrow and vertically between the tail of the arrow and the top of the wheelbarrow (not including the logs);</p> 	<p>judge alignment with weight arrow by eye</p>	<p>1</p>
<p>(ii)</p>	<p>moment = force × (perpendicular) distance (from pivot);</p>	<p>condone $M = F \times d$ $M = F \times s$</p>	<p>1</p>
<p>(iii)</p>	<p>principle of moments (stated or implied); total distance hand to pivot calculated;</p> <p>substitution showing either correct moment (or both); final rearrangement and evaluation;</p> <p>e.g. (total) clockwise (moment) = (total) anticlockwise (moment) (distance) = $0.6 + 0.8 = 1.4 \text{ m}$ $470 \times 0.6 = F \times 1.4$ $F = 470 \times 0.6 / 1.4 = 200 \text{ (N)}$</p>	<p>accept 1.4 or $0.6 + 0.8$ seen in working accept 282 seen in working</p> <p>allow 201, 201.43</p> <p>350, 352, 353, 352.5 gets 2 marks</p>	<p>4</p>

Total 10 marks

Question number	Answer	Notes	Marks
2 (a) (i)	momentum = mass x velocity;	w rds or correct symbols $p = m \times v$ reject M for momentum	1
(ii)	substitution; evaluation; e.g. (p =) 0.50 x 3.1 (p =) 1.6 (kg m/s)	ignore - signs allow 1.55 1 mark max for 1.5	2
(iii)	substitution into correct equation; evaluation; e.g. $F = 1.55(- 0) \div 0.070$ (F =) 22 (N)	no mark for equation as given in paper allow ECF from (ii) ignore - signs allow F in range 22-23 (N) inclusive allow method using $F=ma$.	2


(b)	<p>any two of:</p> <p>MP1. (forces) equal;</p> <p>MP2. (forces) opposite OR up <u>and</u> down;</p> <p>MP3. mention of Newton's <u>third</u> law;</p>	<p>ignore references to balanced forces</p> <p>'every action has an equal and opposite reaction' scores 2 marks</p>	2
(c)	<p>any two of:</p> <p>MP1. pressure is force / area;</p> <p>MP2. forces (on wood and hammer) are equal;</p> <p>MP3. smaller area of nail is in contact with wood / ORA;</p>	<p>allow pressure is inversely proportional to area</p> <p>award if clear which end of the nail has the smaller area</p>	2


Total 9 marks

Question number	Answer	Notes	Marks
3 (a)	A - Force X 7.5 N, Force Y 7.5 N ;		1
(b)	idea that force X decreases; from 15 (N) / to 0 (N);	ignore references to force Y and moments 'it goes from 15 to 0' gets 2 marks	2

Total 3 marks

Question number			Answer	Notes	Marks
4	a	i	moment = force x (perpendicular) distance (from pivot)	in words or accepted symbols	1
		ii	MP1. calc of 1 correct moment (about the pivot); MP2. stated equivalence of clockwise moment= anticlockwise moment /principle of moments; MP3. final value; e.g. $2 \times 60 = 120$ (one mark) $2 \times 60 = 10 \times F_N$ (two marks) $F_N = \frac{2 \times 60}{10}$ $= 12 \text{ (N)}$ (three marks)	in words or in numbers allow working in cm or m	3
	b		MP1. Increases (force on newtonmeter); MP2. (because) weight of bar has a moment; MP3. in same direction (clockwise) as 2 N weight;	may be shown by a calculation allow $F_N = 62 \text{ (N)}$ for three marks	3
				total = 7 marks	

Question number	Answer	Notes	Marks
5 (a)	B		1
(b) (i)	<p>#1. states principle of moments ;</p> <p>#2. moment= force X (perpendicular) distance from pivot:</p> <p>#3. calculates one moment about either A or B;</p> <p>#4. takes moments at B;</p>  <p>e.</p> <p>moments clockwise = moments anticlockwise</p> <ul style="list-style-type: none"> • moment = weight x distance • 500 x 1 • 1 x 500 = Ax2 	<p>Ignore bald '500/2 = 250'</p> <p>Accept for #2: in words or in recognisable symbols or in numbers from the diagram</p> <p>Accept qualitative alternative for last 2 marking points: '2 forces so divide weight in half' OWTTE = 1 mark if then qualified by distance consideration = 2 marks</p>	4
(ii)	Upward Force at point B 250(N);	allow arrow for clockwise or anticlockwise	1

Question number	Answer	Notes	Marks
(c) i	Arrow down from painter; (vertical, below feet)	 <p>The diagram consists of two parts. The top part shows a horizontal plank supported by two sawhorses. An upward arrow labeled 'force A' is at the left support, and another upward arrow labeled 'force B' is at the right support. A downward arrow labeled 'weight of plank' is at the center of the plank. A painter is standing on the plank, with their feet on the surface. The bottom part of the diagram is identical but includes a downward arrow labeled 'of painter' from the painter's feet. To the right of this diagram is the text '= 0'.</p>	1
ii	Both forces increase; Force at B larger than force at A / R_A ;	ignore: <ul style="list-style-type: none"> • both moments increase • 'force B is larger' 	2
Total			9

Question number	Answer	Notes	Marks
6 (a) i	Any ONE sensible suggestion from ensuring good contact; increasing friction; increasing pressure;	allow: • to prevent slipping sideways • make it easier to control	1
ii	Keep a fair test / controlled variable;	allow: it not an independent variable ignore: all mention of accuracy	1

Question number	Answer	Notes	Marks										
6 (b) (i)	(Type of) surface(s);	do not accept: • a (single) named surface • type of block • material of block	1										
(ii)	4.5;		1										
(iii)	<p>Axes labelled- quantity and unit;</p> <p>Linear scale such that longest bar occupies at least half the grid;</p> <p>Plotting---ignore order of bars 5 bars correctly plotted;; If only 3 bars correctly plotted allow 1 mark for plotting</p> <div data-bbox="327 756 1188 1357" style="border: 1px solid black; padding: 10px; margin: 10px auto; width: fit-content;"> <table border="1" style="margin: 10px auto; border-collapse: collapse;"> <thead> <tr> <th>Type of surface</th> <th>Average</th> </tr> </thead> <tbody> <tr> <td>chipboard</td> <td>3.0</td> </tr> <tr> <td>wood</td> <td>2.5</td> </tr> <tr> <td>coarse sandpaper</td> <td>4.5</td> </tr> <tr> <td>fine sandpaper</td> <td>5.7</td> </tr> <tr> <td>ice</td> <td>0.5</td> </tr> </tbody> </table> </div>	Type of surface	Average	chipboard	3.0	wood	2.5	coarse sandpaper	4.5	fine sandpaper	5.7	ice	0.5
Type of surface	Average												
chipboard	3.0												
wood	2.5												
coarse sandpaper	4.5												
fine sandpaper	5.7												
ice	0.5												

Question number	Answer	Notes	Marks
6 (c)	<p>Any two of the following five ideas:</p> <p>#1 different experimental set-up; e. • different masses/weights • different kind of wooden block • different speed of pull</p> <p>#2 variable friction; e. • the surfaces were not uniformly smooth • the wooden block did not move evenly across the surface</p> <p>#3 errors in the force meter reading; e. • errors recording the force on the N-meter • faulty scale on N-meter • zero errors / different ranges of N-meters used • different angle of N-meter</p> <p>#4 different contact; e. • the weights on the block may not have been evenly placed on the block • the block was not pressed down onto the surface evenly</p> <p>#5 friction reduces as the experiment progresses; e. • the wooden block becomes smoother as the experiment proceeds • it moves over the surface more easily as the experiment progresses • lubricant on block</p>	<p>Ignore:</p> <ul style="list-style-type: none"> • unqualified 'broken N-meter' • human error • 'strength of pull' • anomalous results • surface area of surface 	2

Question number	Answer	Notes	Marks
6 (d)	Any two from: Pressure less; Area larger; Use of formula $P = F/A$;	Load is the same/wood is thinner	2
(e)	Any TWO sensible suggestions;; e. place a lubricant between the two surfaces make the surfaces smoother decrease weights /masses on block	allow: • named lubricants • change the surfaces so that are not so rough • reduce the area (of contact) • decrease mass of block	2
		Total	14