

Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

PHYSICS 9702/31

Paper 3 Advanced Practical Skills 1

May/June 2016

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.

No access to the Question Paper is permitted in advance of the examination.



If you have any problems or queries regarding these Instructions, please contact CIE

by e-mail: info@cie.org.uk, by phone: +44 1223 553554, by fax: +44 1223 553558,

stating the Centre number, the nature of the query and the syllabus number quoted above.



Preparing apparatus

These Instructions detail the apparatus required for the experiments in the Question Paper. It is essential that absolute confidentiality is maintained in advance of the examination: the contents of these Instructions must not be revealed either directly or indirectly to candidates.

No access is permitted to the Question Paper in advance of the examination.

If you have problems or queries regarding these Instructions, please contact CIE:

by e-mail: info@cie.org.uk, or by telephone: +44 1223 553554, or by fax: +44 1223 553558,

stating the nature of the query and quoting the syllabus and paper numbers (9702/31).

It is assumed that the ordinary apparatus of a Physics laboratory will be available.

Number of sets of apparatus

The number of sets of apparatus provided for each experiment should be $\frac{1}{2}N$, where N is the number of candidates taking the examination. There should, in addition, be a few spare sets of apparatus available in case problems arise during the examination.

Organisation of the examination

Candidates should be allowed access to the apparatus for each experiment for one hour only. After spending one hour on one experiment, candidates should change over to the other experiment. The order in which a candidate attempts the two experiments is immaterial.

Assistance to Candidates

Candidates should be informed that, if they find themselves in real difficulty, they may ask the Supervisor for practical assistance, but that the extent of this assistance will be reported to the Examiner, who may make a deduction of marks.

Assistance should only be given:

when it is asked for by a candidate, or as directed in the Notes sections of these Instructions, or where apparatus is seen to have developed a fault.

Assistance should be restricted to enabling candidates to make observations and measurements. Observations and measurements must not be made for candidates, and no help should be given with data analysis or evaluation.

All assistance given to candidates must be reported on the Supervisor's Report Form.

Faulty apparatus

In cases of faulty apparatus (not arising from a candidate's mishandling) that prevent the required measurements being taken, the Supervisor may allow extra time to give the candidate a fair opportunity to perform the experiment as if the fault had not been present. The candidate should use a spare copy of the Question Paper when the fault has been rectified or when working with a second set of apparatus.

Supervisor's Report

The Supervisor should complete the Supervisor's Report Form on pages 7 and 8 and enclose it in the envelope containing the answers of the candidates. If more than one envelope is used, a copy of the report must be enclosed in each envelope.

© UCLES 2016 9702/31/CI/M/J/16

Question 1

Apparatus requirements (per set of apparatus unless otherwise specified)

Two stands of height at least 60 cm.

Two G-clamps suitable for securing the stands to the bench.

Wooden strip with approximate dimensions $75 \,\mathrm{cm} \times 2 \,\mathrm{cm} \times 1 \,\mathrm{cm}$. See Note 1.

Two expendable springs each with approximate outside diameter 15 mm, approximate coiled length 20 mm and approximate spring constant 25 N m⁻¹ (e.g. Philip Harris product code B8G87194). See Note 2.

String. See Note 3.

Sphere of modelling clay (e.g. Plasticine) with approximate mass 10 g.

Two 100 g slotted masses.

Two bulldog clips. See Note 4.

180° protractor with 1° divisions.

Metre rule with a millimetre scale.

Stopwatch reading to 0.1 s or better.

Notes

1 Drill two holes in the wooden strip as shown in Fig. 1.1. The centres of the holes should be 5 mm from each end.



Fig. 1.1

2 Join the loops of the springs as shown in Fig. 1.2.



Fig. 1.2

3 Tie a string loop through one of the holes in the wooden strip. Attach the springs to the other end of the wooden strip with another string loop as shown in Fig. 1.3.




Fig. 1.3

4 A suitable bulldog clip as shown in Fig. 1.4 should have a gripping edge of approximate length 50 mm.




Fig. 1.4

Each bulldog clip **must** be able to grip the rod of a stand.

5 The apparatus should be laid out on the bench. If the apparatus is to be used by a second candidate, then it should be restored to its original state with all the modelling clay moulded into a spherical shape.

Information required by Examiners

Sample set of numerical results, clearly labelled "Supervisor's Results" and obtained out of sight of the candidates by the Supervisor, who should be a teacher of Physics or other competent physicist.

© UCLES 2016 9702/31/CI/M/J/16

Question 2

Apparatus requirements (per set of apparatus unless otherwise specified)

Stand, boss and clamp.

Smooth wooden board of approximate dimensions $50 \, \text{cm} \times 23 \, \text{cm} \times 1.5 \, \text{cm}$.

Metre rule with a millimetre scale.

Small cylindrical container with a lid (e.g. plastic 35 mm film canister) with approximate height 50 mm and approximate diameter 30 mm. See Note 1.

Five paper clips each of approximate mass 0.5 g.

180° protractor with 1° divisions.

Notes

1 The diameter of the lid **must** be at least 3mm greater than the outer diameter of the container. An example of the container is shown in Fig. 2.1.



Fig. 2.1

2 The apparatus should be laid out on the bench. If the apparatus is to be used by another candidate, then it should be restored to its original state.

Information required by Examiners

Sample set of numerical results, clearly labelled "Supervisor's Results" and obtained out of sight of the candidates by the Supervisor, who should be a teacher of Physics or other competent physicist.

6

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

This form should be completed and sent to the Examiner with the scripts.

SUPERVISOR'S REPORT FORM

The Supervisor's Report should give full details of:

- (a) any help given to a candidate (including the nature of the help given and the name and candidate number of the candidate);
- **(b)** any cases of faulty apparatus (including the nature of the problem, the action taken to rectify it, any additional time allowed, and the name and candidate number of the candidate);
- (c) any accidents that occurred during the examination;
- (d) any other difficulties experienced by candidates, or any other information that is likely to assist the Examiner, especially if this information cannot be discovered in the scripts.

Cases of individual hardship, such as illness, bereavement or disability, should be reported direct to CIE on the normal Special Consideration form.

Information required by Examiners

For each question, please enclose a sample set of numerical results, obtained out of sight of the candidates and clearly labelled "Supervisor's Results".

Supervisor's Report



| Su | pervisor | 's Re | port (| continued) | |
|----|----------------|-------|---------|--------------|--|
| | 70.100. | 0 | PO: . / | ooniiii aoa, | |

Declaration

(to be signed by the Supervisor)

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

| Signed | |
|---------------|--|
| Name | |
| Centre number | |



© UCLES 2016 9702/31/CI/M/J/16