

Mark Scheme (Results) January 2011

GCE

GCE Chemistry (6CH07/01)



Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link: http://www.edexcel.com/Aboutus/contact-us/

Alternatively, you can speak directly to a subject specialist at Edexcel on our dedicated Science telephone line: 0844 576 0037

January 2011

Publications Code US026205

All the material in this publication is copyright © Edexcel Ltd 2011

Question	Acceptable Answers	Reject	Mark
Number			
1 (a) (i)	Sodium hydroxide (solution) / NaOH(aq) / NaOH Potassium hydroxide (solution) / KOH(aq) /KOH	Alkali Aqueous ammonia Ammonium hydroxide	1
	Allow calcium hydroxide (solution) / Ca(OH)2(aq) / Ca(OH)2	7 minorium nyuroxiuc	

Question Number	Acceptable Answers	Reject	Mark
1 (a) (ii)	Observation: White precipitate (or ppt or ppte) Allow white solid / suspension (1)	(solution) goes cloudy	3
	Inference: any two valid ions gain both marks Sulfate or sulfate(VI) or sulphate or sulphate(VI) or SO ₄ ²⁻ (1)	Incorrect oxidation number if used	
	Carbonate or CO ₃ ²⁻ (1) Allow hydrogensulfate / hydrogensulfate(VI) / hydrogensulphate / hydrogensulphate(VI)) / HSO ₄ ⁻	hydrogensulfite (or hydrogensulfate(IV))	
	Allow hydrogencarbonate / HCO ₃ ⁻ If a formula is used charge must be correct Ignore 'barium'		

Question Number	Acceptable Answers	Reject	Mark
1 (a) (iii)	(Gas evolved) was pungent / acrid or turned (orange) potassium dichromate / dichromate(VI) / K ₂ Cr ₂ O ₇ green / blue Allow dichromate (etc) ions / Cr ₂ O ₇ ²⁻ or decolorized potassium manganate(VII) / permanganate (allow potassium manganate) /KMnO ₄ Allow manganate(VII) (etc) ions /MnO ₄ Allow turns blue litmus red	Steamy fumes Was acidic /sulfur dioxide / SO ₂ Incorrect oxidation number if used	1

Question	Acceptable Answers	Reject	Mark
Number			
1 (a) (iv)	With HCI(g) (allow HCI) / conc HCI on a glass rod or stopper or open bottle (1)	Add conc HCI	2
	White fumes /smoke (1) Observation mark not stand alone but award for a near miss (e.g. 'add (conc.) HCI(aq)') No TE on a forbidden test (indicators / smell)	Steamy / misty	

Question	Acceptable Answers	Reject	Mark
Number			
1 (b) (i)	Calcium (ion) or Ca ²⁺ (ion)	Ca / Ca ⁺	1
Question	Acceptable Answers	Reject	Mark
Number			
1 (b) (ii)	Pink		1
	Allow red or purple		
	, ,		
Question	Acceptable Answers	Reject	Mark
Number	'		
1 (b) (iii)	Nitrogen dioxide or or nitrogen(IV) oxide or NO ₂	Incorrect oxidation	1
	Allow dinitrogen tetroxide or N ₂ O ₄	number if used	
Question	Acceptable Answers	Reject	Mark
Number			
1 (b) (iv)	Oxygen or O ₂	0	1
	-		
Question	Acceptable Answers	Reject	Mark
Number	·		
1 (b) (v)	Nitrate or nitrate(V) or NO ₃	Incorrect oxidation	1
	()	number if used	
		Incorrect / no charge	
	1	1	1
Question	Acceptable Answers	Reject	Mark
Number		.,	
1 (b) (vi)	Ca(NO ₃) ₂ (1)	Name	2
	H_2O (1) or $Ca(NO_3)_2$, H_2O (2)	H ₂ O with no attempt	
	If this formula is correct, ignore incorrect formula	at a compound	
	/ charge in 1(b)(v)	formula	
	TE on a name or correct formula from 1(b)(v)	Torrida	
	TE on a name of correct formala from I(b)(v)	<u>l</u>	

Question	Acceptable Answers	Reject	Mark
Number			
2 (a)	Test Add PCI ₅ or phosphorus pentachloride or phosphorus(V) chloride (1) Ignore heat Result Steamy or misty fumes or fumes which turn litmus or UI red (1) Allow white fumes OR Test Add sodium (1) Result Effervescence / gas which pops with a lighted splint (1) OR Test Add named carboxylic acid and sulfuric / hydrochloric acid (1) Result Sweet / pear drops / glue smell (1) Observation marks not stand alone	PCI ₃ PCI ₅ solution White smoke HCI observed	2
	Allow oxidizing agents (max 1) Test Add acidified (potassium) dichromate / dichromate(VI) Result orange to / turns green/blue OR Test Add acidified (potassium) manganate(VII) or permanganate Allow acidified potassium manganate Result Purple to / turns colourless or decolorized		

Question Number	Acceptable Answers	Reject	Mark
2 (b)	Elimination (1)		3
	Allow dehydration		
	Test		
	Bromine (water /organic solvent) (1)		
	Result (Orange or red-brown or brown or yellow to)		
	/turns colourless or decolorized (1)		
	Ignore clear		
	Test		
	Acidified potassium manganate (VII) or		
	permanganate (1) Allow acidified potassium manganate		
	Result		
	(Purple to) /turns colourless or decolorized (1)		
	Test		
	Alkaline potassium manganate (VII) or		
	permanganate (1) Allow acidified potassium manganate		
	Result		
	(Purple to) brown (ppt) or turns green (1)		

Question	Acceptable Answers	Reject	Mark
Number			
3 (a) (i)	Gas syringe (2) (cylinder & plunger reasonably distinct) or Collection over water (1) graduated collection vessel (1) Max (1) if gaps in apparatus or if delivery tube goes straight through the walls of trough and collection vessel		2

Question	Acceptable Answers	Reject	Mark
Number			
3 (b) (i)	5 points correctly plotted (1)		3
	8 or 9 points correctly plotted (2)		
	Smooth best fit line (1)		

Question	Acceptable Answers	Reject	Mark
Number			
3 (b) (ii)	29.0/20 (= 1.45)		2
	= 1.5 (1) cm 3 s $^{-1}$ or cm 3 /s (1)		
	(2 SF only)		

Question Number	Acceptable Answers	Reject	Mark
3 (b) (iii)	Initial rate faster / higher / line steeper (1) Final gas volume the same (1)		2

Question Number	Acceptable Answers	Reject	Mark
3 (b) (iv)	Amount of H_2O_2 & therefore volume /amount of O_2 remains the same (1) (both points needed) Greater surface area (of MnO_2) (1) Results in more (frequent) collisions (between H_2O_2 molecules & MnO_2) (1)	No consequential marking 'smaller pieces' or fine powder(for greater surface area)	3

Question	Acceptable Answers	Reject	Mark
Number			
3 (c)	Weigh (1) filter (1) dry (1) and re-weigh (1) the catalyst Allow evaporation of H_2O_2/H_2O for filter mark Repeat experiment using fresh H_2O_2 (1) Rate is the same / similar (1)	Just 'mass constant'	4

Question Number	Acceptable Answers	Reject	Mark
4 (a)	Burette or pipette Allow volumetric flask	Measuring cylinder	1
Question Number	Acceptable Answers	Reject	Mark
4 (b)	Bromine volatile or low boiling point or evaporates easily Or To ensure that the bromine does not evaporate		1
Question Number	Acceptable Answers	Reject	Mark
4 (c)	Reaction is exothermic or gives off heat (allow reaction is vigorous)	Reaction is fast	1
Question Number	Acceptable Answers	Reject	Mark
4 (d)	Round or pear-shaped flask with some attempt at a vertical condenser (1) Correct vertical condenser (1) Working reflux apparatus (heat, correct water flow, no stopper, no gaps, apparatus not one piece) (1) Ignore use of a Bunsen burner Fully correct distillation (1) max		3
Question Number	Acceptable Answers	Reject	Mark
4 (e)	Product / bromoethane is volatile or has a low boiling point or evaporates easily Allow To prevent evaporation of the bromoethane Or Bromoethane boils at 38.4 (°C) Or To ensure bromoethane is liquid		1
Question Number	Acceptable Answers	Reject	Mark
4 (f) (i)	Neutralize the (phosphoric) acid / bromine Allow react with or remove the acid / bromine		1
Question Number	Acceptable Answers	Reject	Mark
4 (f) (ii)	Drying agent or to remove water	Dehydration	1
Question Number	Acceptable Answers	Reject	Mark
4 (g)	From: 35, 36, 37 or 38 (°C) To: 39, 40, 41 or 42 (°C)	Fractions of degrees	1

Question	Acceptable Answers	Reject	Mark
Number			
4 (h) (i)	10 x 0.789/46 (=0.17152) = 0.172	incorrect rounding	1
	(ignore sf except 1 sf)		

Question	Acceptable Answers	Reject	Mark
Number			
4 (h) (ii)	0.17152 x 109 = 18.6959 = 18.7 (g)		1
	0.172 x 109 = 18.748 = 18.7 (g)		
	0.17 x 109 = 18.53 = 18.5 (g)		
	ECF on 4 (h)(i)		
	Allow use of 108.9 (from periodic table)		
	If M _r values transposed in 4hi) and 4hii) (mass =		
	3.33 g) penalise once		
	(ignore sf except 1 sf)		

Question Number	Acceptable Answers	Reject	Mark
4 (h) (iii)	100 x 13.3/18.7 = 71.123 = 71.1 (%) 100 x 13.3/18.5 = 71.8919 = 71.9 (%) Or using moles: Moles of C ₂ H ₅ Br formed = 13.3/109 = 0.12202 Yield = 100 x 0.12202 / 0.17152 = 71.123 = 71.1 (%) Final answer = 71.1% if all values in calculator ECF on 4 (h)(ii) (ignore sf except 1 sf)	Yield > 100 %	1

Question Number	Acceptable Answers	Reject	Mark
4 (h) (iv)	Bromine is in excess or	Ethanol limiting	1
	All the ethanol is used up	reagent	

Question Number	Acceptable Answers	Reject	Mark
4 (h)(v)	Transfer losses or handling losses or specific examples of these (e.g. some product remains in the aqueous layer during separation or in the flask during distillation. Reaction incomplete or Side / competing reactions	Just 'lost' Handling errors Evaporation Equilibrium Named other products of this reaction formed (i.e. phosphoric acid or water) Waste products	1

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publications@linneydirect.com</u> Order Code US026205 January 2011

For more information on Edexcel qualifications, please visit www.edexcel.com/quals

Edexcel Limited. Registered in England and Wales no.4496750 Registered Office: One90 High Holborn, London, WC1V 7BH

Jan 2011 6CH07 MS_results