

Mark Scheme (Results)

January 2020

Pearson Edexcel International Advanced Level In Decision Mathematics D1 (WDM01/01)

#### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <a href="https://www.edexcel.com">www.edexcel.com</a>.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

#### Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

January 2020
Publications Code WDM01\_01\_2001\_MS
All the material in this publication is copyright
© Pearson Education Ltd 2020

## **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

#### **EDEXCEL IAL MATHEMATICS**

#### **General Instructions for Marking**

- 1. The total number of marks for the paper is 75.
- 2. The Edexcel Mathematics mark schemes use the following types of marks:
- **M** marks: method marks are awarded for 'knowing a method and attempting to apply it', unless otherwise indicated.
- A marks: Accuracy marks can only be awarded if the relevant method
   (M) marks have been earned.
- **B** marks are unconditional accuracy marks (independent of M marks)
- Marks should not be subdivided.
- 3. Abbreviations

These are some of the traditional marking abbreviations that will appear in the mark schemes.

- bod benefit of doubt
- ft follow through
- the symbol  $\sqrt{\text{ will be used for correct ft}}$
- cao correct answer only
- cso correct solution only. There must be no errors in this part of the question to obtain this mark
- isw ignore subsequent working
- awrt answers which round to
- SC: special case
- oe or equivalent (and appropriate)
- dep dependent
- indep independent
- dp decimal places
- sf significant figures
- \* The answer is printed on the paper
- The second mark is dependent on gaining the first mark
- 4. All A marks are 'correct answer only' (cao.), unless shown, for example, as A1 ft to indicate that previous wrong working is to be followed through. After a misread however, the subsequent A marks affected are treated as A ft, but manifestly absurd answers should never be awarded A marks.
- 5. For misreading which does not alter the character of a question or materially simplify it, deduct two from any A or B marks gained, in that part of the question affected.
- 6. If a candidate makes more than one attempt at any question:
  - If all but one attempt is crossed out, mark the attempt which is NOT crossed out.

- If either all attempts are crossed out or none are crossed out, mark all the attempts and score the highest single attempt.
- 7. Ignore wrong working or incorrect statements following a correct answer.

Question Number	Scheme	Marks	
1. (a)	E - 3 = D - 2	M1	
	C - 5 = F - 4 = A - 1 = B - 6	A1	<b>(2)</b>
(b)	A = 1, B = 2, C = 5, D = 3, (E unmatched), F = 4	B1	(1)
(c)	Alternating path: $E - 3 = D - 2 = B - 6$		
	Change status: $E = 3 - D = 2 - B = 6$	M1	
	Complete matching: $A = 1$ , $B = 6$ , $C = 5$ , $D = 2$ , $E = 3$ , $F = 4$	A1	<b>(2)</b>
		5 marks	

**a1M1**: One correct alternating path (accept any symbols connecting the vertices, for example, E-3-D-2 or E3D2 but **not** E=3, D=2). Note that 2-D=3-E and

6 - B = 1 - A = 4 - F = 5 - C (so paths form 2 to E and 6 to C) are fine

**a1A1**: Both paths correct (isw if more than two paths are stated)

**b1B1**: CAO – condone lack of E or 6 being stated as unmatched. The improved matching may be stated **or** drawn (on the nodes at the top of the second page of the answer book)

c1M1: The correct alternating path from E to 6 (or vice-versa) and then either (i) or (ii)

- (i) the 'change status' either stated in words (but only accept 'change (of) status' or 'c.s.' not 'change state' etc.) OR shown (all symbols e.g. (...-...=...) interchanged (...=...=...).
- (ii) the correct complete matching either stated **or** drawn only accept a clear diagram with exactly six arcs

c1A1: CAO – all three parts – the correct alternating path and the change status either stated or shown and the complete matching either stated or drawn (could be drawn on the nodes on the second page)

Question Number	Scheme	Marks	
2. (a)(i)	A tree is a connected graph with no cycles	B1	
(ii)	A minimum spanning tree is a tree that contains all vertices	B1	
	The total length of its arcs is as small as possible	B1 (	3)
(b)	Kruskal: FJ(11), EG(13), EF(15), EH(17), not GH (18), BC (19), not HJ (20),	M1 A1 A1	
(D)	BD (22), not FH(23), AE (25), BE (29) (not AD, DE, DG, AB, BH)	(3	3)
(c)	(Weight of the tree is) 151	· ·	2)
		8 marks	

ailB1: Connected + no cycle(s) (must contain these two points – do not allow 'circle', 'loop' etc. for cycle(s)) – if not using the word 'connected' then allow 'a graph that connects/connecting the vertices/nodes' (condone issues with plural or singular e.g. cycle for cycles)

aii2B1: Contains all vertices/nodes (must be clear that all vertices (or nodes) are in a MST)

aii3B1: Total length of arcs is minimised (must contain the three points regarding weight/length, arcs/edges and minimised/smallest (oe))

**b1M1**: Kruskal's algorithm - first four arcs (FJ, EG, EF, EH) correctly chosen **and** at least one rejection seen at some point

**b1A1**: All arcs in tree selected correctly in the correct order (FJ, EG, EF, EH, BC, BD, AE, BE)

**b2A1**: CSO including all rejections correct and at the correct time (do not need to see AD, DE, DG, AB, BH rejected but if they are they must be rejected correctly (i.e. in this order) but note that AD, DE have the same weight as do DG and AB so they could appear in either order)

Note that stating all the arcs in order (e.g. FJ, EG, EF, EH, GH, BC, HJ, BD, FH, AE, BE, AD, DE, DG, AB, BH) and then stating only those in the tree in the correct order is fine for all three marks in this part

**c1B1**: CAO (tree) **c2B1**: CAO (151)

Question Number	Scheme	Marks
3.(a)	x = 8, y = 12, z = 17	B3, 2, 1, 0 (3)
(b)	O 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34  C H I J  B  B  F  G  K  L	M1 A1 A1 (4)
(c)	Lower bound is 4 workers e.g. activities J, K, L and M together with 24 < time < 26	M1 A1 (2)
		9 marks

**a1B1**: *x* value correct **a2B1**: *y* value correct **a3B1**: *z* value correct

**b1M1**: At least ten activities labelled including at least five floats. A scheduling diagram scores M0 **b1A1**: The critical activities dealt with correctly and appearing just once (C, H, I and J) and three non-critical activities dealt with correctly

**b2A1**: Any six non-critical activities correct (this mark is not dependent on the previous A mark) **b3A1**: CSO – completely correct Gantt chart (exactly thirteen activities appearing just once)

a1M1. Either a statement with the assess to well an effective (1 V I

**c1M1**: Either a statement with the correct number of workers (4) and the correct activities (J, K, L and M) with any numerical time stated **or** the correct number of workers (4) and a time in the interval  $24 \le x \le 26$  — mark the numerical value only not their use of day/time

c1A1: A completely correct statement with details of both time and activities. Candidates must give a time within the correct interval of 24 < t < 26. Please note the strict inequalities for the time interval (e.g. implying a time of 24 is incorrect). Answers given as an interval of time are acceptable provided the time interval stated is correct for all its possible values (e.g. time 25 - 26 is A0). Note that 'on day 25' or 'on day 26' are correct but 'on day 24' is not correct. A completely correct statement with an additional incorrect statement scores A0 (so no isw)

Question Number							Sche	eme				Marks
4. (a)	Bin 1 Bin 2 Bin 3 Bin 4 Bin 5	: <u>23</u> 2 : <u>41</u>		M1 <u>A1</u> A1 (3)								
(b)	e.g. m	niddle	Pivot(s)									
	35 35 41 41 41	17 28 35 35 35	10 41 28 29 29	7 29 29 28 28	28 23 23 23 23 23	23 17 17 17 17 20	41 10 10 20 17	15 <u>7</u> <u>15</u> <b>15</b> <b>15</b>	20 15 20 10 <b>10</b>	29 20 7 7 7	23 41, 7 28, 15 29, 20, (10) Sort complete	M1 A1 A1ft A1 (4)
(c)	Bin 2 Bin 3 Bin 4	Bin 1: <b>41</b> <u>17</u> Bin 2: <b>35 23</b> Bin 3: <b>29 28</b> Bin 4: <u>20</u> 15 10 7									M1 <u>A1</u> A1 (3)	
(d)	8 < <i>x</i>	<12,	y > x	x, $(y)$	(8 < 1)							B3, 2, 1, 0 <b>(3)</b>
												13 marks

# PLEASE NOTE NO MISREADS IN THIS QUESTION – MARK ACCORDING TO THE SCHEME AND THE SPECIAL CASES IN PART (b) and the guidance for the M mark in (c)

**a1M1**: First four items placed correctly (the values in bold) and at least seven values placed in bins. Condone cumulative totals for M1 only – if one of the bold values appears in more than one bin then M0 **a1A1**: First eight items placed correctly (the underlined and bold values) – if one of the underlined values appears in two different bins then this is A0

**a2A1**: CSO (correct solution only – so no additional/repeated values)

**b1M1**: Quick sort, pivot, p, chosen (must be choosing middle left or right – choosing first/last item as the pivot is M0). After the first pass the list must read (values greater than the pivot), pivot, (values less than the pivot). If only choosing one pivot per iteration then M1 only

**b1A1**: First two passes correct

**b2A1ft**: Third pass correct (follow through from their second pass and choice of pivots for the third pass (these pivots for the third pass must be either middle left or middle right)

**b3A1**: CSO (correct solution only – all previous marks in this part **must** have been awarded) including a 'sort complete' - this could be shown by the final list being re-written or 'sorted' statement or each item being used as a pivot (which would therefore mean that the final list would have been written twice)

middl	e left									
35	17	10	7	<u>28</u>	23	41	15	20	29	28
35	<u>41</u>	29	28	17	10	<u>7</u>	23	15	20	41, 7
41	<u>35</u>	29	28	17	10	<u>23</u>	15	20	7	35, 23
41	35	29	28	23	17	<u>10</u>	15	20	7	(29), 10
41	35	29	28	23	17	<u>15</u>	20	10	7	15
41	35	29	28	23	<u>17</u>	20	15	10	7	17
41	35	29	28	23	20	<b>17</b>	15	10	7	Sort complete

Question	Sahama	Mortes
Number	Scheme	Marks

SC for (b): If using an incorrect list from the start of (b) with only one error (an error is either one missing number, one extra number, two numbers transposed or one incorrect number) then the most they can score is M1A0A1ftA0

Sorting list into ascending order in (b)

- If the candidate sorts the list into ascending order and reverses the list in this part then this can score full marks in (b)
- If the list is not reversed in (b) then remove the last two A marks earned in (b). If the list is reversed at the start of (c) but not in (b) then still remove the last two A marks earned in (b). If the list is in ascending order in (b) award no marks for first-fit increasing in (c). If the candidate says that the list needs reversing in (b) but does not actually show the reversed list in (b) then remove the last A mark earned

c1M1: Must be using a list that is in strictly descending order. If it is clear that their list is not in descending order then M0. First five items placed correctly (the bold values) and at least eight values placed in bins – condone cumulative totals for M1 only – if one of the bold values appears in more than one bin then M0. If it is clear that their list is not correct (41 35 29 28 23 20 17 15 10 7) then M1 only and for this M mark allow them to be using their final list from (b) which can contain one error and in this case an error is either one missing number or one extra number or one incorrect number (e.g. 24 for 23) but their list must be in descending order.

**c1A1**: First seven items placed correctly (the underlined and bold values) – if one of the underlined values appears in two different bins then this is A0

**c2A1**: CSO (so no additional/repeated values)

**d1B1**: x > 8 **d2B1**: x < 12

If B0 B0 then award B1 B0 for  $8 \le x \le 12$  (oe)

**d3B1**: x < y but not y > 8 only

For full marks in (d) no additional incorrect constraints, for example, if B1B1B1 initially awarded but an additional incorrect constraint seen (e.g. y > 15) then award B1B1B0 but do not penalise any additional incorrect constraints unless all three other correct constraints seen

Question Number	Scheme	Marks	ļ
5. (a)	$\begin{array}{c c} & & & & \\ & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\$	M1 A1 A1 A1 A1	(5)
(b)	Activities E, I, J and L cannot be critical	M1 A1	(2)
		7 marks	·

Condone lack of, or incorrect, numbered events throughout. 'Dealt with correctly' means that the activity starts from the correct event but need not necessarily finishes at the correct event, e.g. 'F dealt with correctly' requires the correct precedences for this activity, i.e. A, B and C labelled correctly and leading into the same node and F starting from that node but do not consider the end event for F. The table below is very useful in checking this point. **Activity on node is M0** 

If an arc is not labelled, for example, if the arc for activity E is not labelled (but the arc is present) then this will lose the first A mark and the final (CSO) A mark – they can still earn the second A mark on the bod. If two or more arcs are not labelled then mark according to the scheme. Assume that a solid line is an activity which has not been labelled rather than a dummy (even if in the correct place for where a dummy should be)

#### Ignore incorrect or lack of arrows on the activities for the first four marks only

a1M1: Seven activities (labelled on arc), one start and at least two dummies placed

**a1A1**: Activities A, B, C, 1<sup>st</sup> two dummies (including correct arrows on these two dummies), D and E dealt with correctly. The first two dummies are those at the end of activities A and C

**a2A1**: A dummy linking D, F and G into an event node and a dummy linking D, F, G, I and E into an event node and F, G and I dealt with correctly. The dummies must have arrows

a3A1: Activities H, J, K and L dealt with correctly

**a4A1**: CSO – all arrows correctly placed for each activity with one finish and at most four dummies. Note that this is not a unique solution due to for example the 3<sup>rd</sup> and 4<sup>th</sup> dummies so please check these carefully.

Please check all arcs carefully for arrows – if there are no arrows on any dummies then M1 only. Note that additional (but unnecessary) 'correct' dummies that still maintain precedence for the network should only be penalised with the final A mark if earned

**b1M1**: At least two correct activities with no more than 5 activities stated

**b1A1**: All four activities (E, I, J and L) and no others

A	В	C	D	E	F	G	H	I	J	K	L
-	-	1	A	С	A, B, C	A, B, C	D, F, G	A, B, C	D, F, G	Н	D, E, F, G, I

Question Number	Scheme	Mark	S
6. (a)	A     1     0     8     E     3     7       B     4     12     7     C     2     5     28     H     7     26       14     12     17     5     28     H     7     26       14     12     17     5     28     H     7     26       14     12     17     18     18     18     19     42       15     20     26     24     20	M1 A1 (CEB A1 (FH) A1ft (GJ)	
(b)	Shortest time: 45 (minutes) Quickest route: A C B D F G J $A(CB)D + HJ = 20 + 20 = 40$	A1ft A1 M1 A1	(6)
	A(CBDF)H + D(FG)J = 26 + 25 = 51 A(CBDFG)J + D(F)H = 45 + 6 = 51 Repeated arcs: AC, BC, BD, HJ	A1 A1 A1	(5)
(c)(i)	Vertex C: 4 times	B1	, ,
(ii)	Vertex D: 3 times	B1	(2)
(d)	H to H requires the consideration of the shortest path from A to J only (as these are the only two odd nodes)	B1	
	314 > 309 or $45 > 40$ so quicker to start at H and finish at D	B1	(2)
		15 mark	S

In (a) it is important that all values at each node are checked very carefully – the order of the working values must be correct for the corresponding A mark to be awarded e.g. at J the working values must be 49 46 45 in that order (so 49 45 46 is incorrect)

It is also important that the order of labelling is checked carefully. The order of labelling must be a strictly increasing sequence – so 1, 2, 3, 3, 4, ... will be penalised once (see notes below) but 1, 2, 3, 5, 6, ... is fine. Errors in the final values and working values are penalised before errors in the order of labelling

**a1M1**: A larger value replaced by a smaller value in at least two of the working value boxes at any node except A or C

**a1A1**: All values at C, E, B and D correct and the working values in the correct order (including order of labelling)

**a2A1**: All values at F and H correct and the working values in the correct order. Penalise order of labelling only once per question (F and H must be labelled in that order and F must be labelled after C, E, B and D) **a3A1ft:** All values in G and J correct on the follow through and the working values in the correct order. Penalise order of labelling only once per question. To follow through G check that the working value at G follows from the candidate's final values from their feeds into G (which will mostly likely come from nodes B, D and F (in the order in which the candidate has labelled them)) and that the final value, and order of labelling, follows through correctly. Repeat this process for J (which will possibly have working values from E, H and G with the order of these values determined by the candidate's order of labelling at E, H and G)

Ouestion Scheme Marks Number a4A1ft: Follow through on their final value at J only (condone lack of units) - so if 45 given as the answer and the final value at J is not 45 then A0 a5A1: CAO - correct route (from either A to J or J to A) - ACBDFGJ or JGFDBCA **b1M1**: Correct three distinct pairings of the correct four odd nodes A, D, H and J b1A1: Any row correct including pairing and total **b2A1**: Any two rows correct including pairings and totals **b3A1**: All three rows correct including pairings and totals **b4A1**: CAO correct edges clearly stated and not just in their working as AC, BC, BD, HJ. Must be these arcs and not AD, ACBD or AD via B and C ciB1: CAO (Vertex C: 4) ciiB1: CAO (Vertex D: 3) **d1B1**: Correct reasoning (that to travel from H to H) only the shortest path between A and J needs traversing twice – as a minimum must mention either 'A to J only' or refer to A and J being the only odd nodes (e.g. odd nodes: A and J is fine but not 'A and J are odd nodes') d2B1: Either 'it will be slower' or 'it will be quicker from H to D' (if saying 'quicker' then it must be clear that they are talking about H to D) + correct numerical argument (not just stating the values 314 and 309 (or 45 and 40) and saying 'slower' - there must be some comparison of these two values )

Question Number	Scheme	Mark	s
7. (a)	Minimise $400x + 550y + 750z$	B1	
( )	Subject to $x + y + z \ge 20$	B1	
	$x \le 2(y+z)$	M1 A1	
	$z \le \frac{1}{4}(x+y+z) \Longrightarrow 3z \le x+y$	M1 A1	(6)
(b)(i)(ii)	Ratio of $5:3 \Rightarrow 3y = 5z$	B1	
	$x + y + z \ge 20 \Rightarrow x + y + \frac{3}{5}y \ge 20$ and $400x + 550y + 750\left(\frac{3y}{5}\right)$	M1	
	$5x + 8y \ge 100$ and $400x + 1000y$	A1	(3)
	$4y = 5x$ $14 - \frac{12}{3}$		
(c)	5x = 16y	B1 B1 B1	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	B1	(4)
(d)	Drawing an objective line accept reciprocal gradient	M1	
	Correct objective line	A1	
, , , , , ,	V correctly labelled	A1	(3)
(e)(i)	Cost is £9800	B1	
(ii)	3 days for senior leaders (12 training days for new teachers, 5 days for middle leaders)	B1	(2)
		18 marks	S

Question Number Scheme Marks

### **Notes for Question 7**

a1B1: Expression correct <u>together</u> with 'minimise' or 'min' but not 'minimum' – isw if coefficients are subsequently simplified but 400x + 550y + 750z must be seen at some point for this mark to be awarded. The 'min' must appear beside the correct expression

**a2B1**: CAO ( $x + y + z \ge 20$ )

**a1M1**:  $x \square 2(y+z)$  where  $\square$  is any inequality or equals. Accept  $2x \le y+z$  for this mark

**a1A1**: CAO  $x \le 2(y+z)$  or equivalent but only one term in each variable and integer coefficients

**a2M1**:  $z = \frac{1}{4}(x+y+z)$  where  $\Box$  is any inequality or equals – allow 0.25 but do not allow

z = 25%(x+y+z) unless recovered to a fraction or decimal later

**a2A1**: CAO  $3z \le x + y$  or equivalent but only one term in each variable and integer coefficients

**bi1B1**: Ratio expressed correctly as an equation 3y = 5z (oe) (possibly implied by subsequent working) **bii1M1**: Their linear equation in y and z only (must be of the form ay = bz oe) substituted into both their constraint and their objective to eliminate z or one correct answer simplified

**b1A1**: CAO  $5x + 8y \ge 100$  and 400x + 1000y (allow ISW if correct objective simplified)

In (c)

5x + 8y = 100 must pass if extended within one small square of its intersection with the axes – (0, 12.5) and (20, 0) but must be long enough to define the correct feasible region

4y = 5x must pass within one small square of its intersection with the origin and (10, 12.5)

5x = 16y must pass within one small square of its intersection with the origin and (20, 6.25)

c1B1: One line correct

c2B1: Two lines correct

c3B1: All three lines correct

**c4B1**: Region, *R*, correctly labelled – not just implied by shading – dependent on scoring the first three marks in this part

**d1M1**: Drawing their objective line (based on their answer to (b)) or its reciprocal - line must be correct to within one small square if extended from axis to axis. If their line is shorter than (0, 1) to (2.5, 0) then M0

**d1A1**: Drawing a correct objective line subject to the conditions above

**d2A1**: V labelled clearly on their graph (so dependent on the first three marks in (c) and the previous A mark in this part)

eiB1: CAO – condone lack of units – dependent on the first three marks in (c) and the first two marks in (d)

eiiB1: CAO (3) – dependent on the first three marks in (c) and the first two marks in (d)

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom