



1.

Figure 1




Figure 1 shows the speed-time graph of a cyclist moving on a straight road over a 7 s period. The sections of the graph from  $t = 0$  to  $t = 3$ , and from  $t = 3$  to  $t = 7$ , are straight lines. The section from  $t = 3$  to  $t = 7$  is parallel to the  $t$ -axis.

State what can be deduced about the motion of the cyclist from the fact that

- (a) the graph from  $t = 0$  to  $t = 3$  is a straight line, (1)
  
- (b) the graph from  $t = 3$  to  $t = 7$  is parallel to the  $t$ -axis. (1)
  
- (c) Find the distance travelled by the cyclist during this 7 s period. (4)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



Leave  
blank

2. Two particles *A* and *B* have mass 0.4 kg and 0.3 kg respectively. They are moving in opposite directions on a smooth horizontal table and collide directly. Immediately before the collision, the speed of *A* is  $6 \text{ m s}^{-1}$  and the speed of *B* is  $2 \text{ m s}^{-1}$ . As a result of the collision, the direction of motion of *B* is reversed and its speed immediately after the collision is  $3 \text{ m s}^{-1}$ . Find

(a) the speed of *A* immediately after the collision, stating clearly whether the direction of motion of *A* is changed by the collision,

**(4)**

(b) the magnitude of the impulse exerted on *B* in the collision, stating clearly the units in which your answer is given.

**(3)**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---





4.

Figure 2



A particle  $P$  of mass  $0.5\text{ kg}$  is on a rough plane inclined at an angle  $\alpha$  to the horizontal, where  $\tan \alpha = \frac{3}{4}$ . The particle is held at rest on the plane by the action of a force of magnitude  $4\text{ N}$  acting up the plane in a direction parallel to a line of greatest slope of the plane, as shown in Figure 2. The particle is on the point of slipping up the plane.

- (a) Find the coefficient of friction between  $P$  and the plane. (7)

The force of magnitude  $4\text{ N}$  is removed.

- (b) Find the acceleration of  $P$  down the plane. (4)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---

---



5.

Figure 3



A steel girder  $AB$  has weight  $210\text{ N}$ . It is held in equilibrium in a horizontal position by two vertical cables. One cable is attached to the end  $A$ . The other cable is attached to the point  $C$  on the girder, where  $AC = 90\text{ cm}$ , as shown in Figure 3. The girder is modelled as a uniform rod, and the cables as light inextensible strings.

Given that the tension in the cable at  $C$  is twice the tension in the cable at  $A$ , find

(a) the tension in the cable at  $A$ , (2)

(b) show that  $AB = 120\text{ cm}$ . (4)

A small load of weight  $W$  newtons is attached to the girder at  $B$ . The load is modelled as a particle. The girder remains in equilibrium in a horizontal position. The tension in the cable at  $C$  is now three times the tension in the cable at  $A$ .

(c) Find the value of  $W$ . (7)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---







6. A car is towing a trailer along a straight horizontal road by means of a horizontal tow-rope. The mass of the car is 1400 kg. The mass of the trailer is 700 kg. The car and the trailer are modelled as particles and the tow-rope as a light inextensible string. The resistances to motion of the car and the trailer are assumed to be constant and of magnitude 630 N and 280 N respectively. The driving force on the car, due to its engine, is 2380 N. Find

(a) the acceleration of the car, (3)

(b) the tension in the tow-rope. (3)

When the car and trailer are moving at  $12 \text{ m s}^{-1}$ , the tow-rope breaks. Assuming that the driving force on the car and the resistances to motion are unchanged,

(c) find the distance moved by the car in the first 4 s after the tow-rope breaks. (6)

(d) State how you have used the modelling assumption that the tow-rope is inextensible. (1)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





7. [In this question the unit vectors  $\mathbf{i}$  and  $\mathbf{j}$  are due east and north respectively.]

A ship  $S$  is moving with constant velocity  $(-2.5\mathbf{i} + 6\mathbf{j}) \text{ km h}^{-1}$ . At time 1200, the position vector of  $S$  relative to a fixed origin  $O$  is  $(16\mathbf{i} + 5\mathbf{j}) \text{ km}$ . Find

(a) the speed of  $S$ , (2)

(b) the bearing on which  $S$  is moving. (2)

The ship is heading directly towards a submerged rock  $R$ . A radar tracking station calculates that, if  $S$  continues on the same course with the same speed, it will hit  $R$  at the time 1500.

(c) Find the position vector of  $R$ . (2)

The tracking station warns the ship's captain of the situation. The captain maintains  $S$  on its course with the same speed until the time is 1400. He then changes course so that  $S$  moves due north at a constant speed of  $5 \text{ km h}^{-1}$ . Assuming that  $S$  continues to move with this new constant velocity, find

(d) an expression for the position vector of the ship  $t$  hours after 1400, (4)

(e) the time when  $S$  will be due east of  $R$ , (2)

(f) the distance of  $S$  from  $R$  at the time 1600. (3)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



Leave blank

**Question 7 continued**

Lined area for writing the answer to Question 7.

**Q7**

**(Total 15 marks)**

**TOTAL FOR PAPER: 75 MARKS**

**END**

