

Please check the examination details below before entering your candidate information

Candidate surname

Other names

**Pearson Edexcel
International
Advanced Level**

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

Sample Assessment Materials for first teaching September 2018

(Time: 1 hour 30 minutes)

Paper Reference **WST01/01****Mathematics****International Advanced Subsidiary/Advanced Level
Statistics S1****You must have:**

Mathematical Formulae and Statistical Tables, calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 7 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ►

S59767A

©2018 Pearson Education Ltd.

1/1/1/1/1/



Pearson

Leave blank

Answer ALL questions. Write your answers in the spaces provided.

- 1. The percentage oil content, p , and the weight, w milligrams, of each of 10 randomly selected sunflower seeds were recorded. These data are summarised below.

$$\sum w^2 = 41252 \quad \sum wp = 27557.8 \quad \sum w = 640 \quad \sum p = 431 \quad S_{pp} = 2.72$$

- (a) Find the value of S_{ww} and the value of S_{wp} (3)
- (b) Calculate the product moment correlation coefficient between p and w (2)
- (c) Give an interpretation of your product moment correlation coefficient. (1)

The equation of the regression line of p on w is given in the form $p = a + bw$

- (d) Find the equation of the regression line of p on w (4)
- (e) Hence estimate the percentage oil content of a sunflower seed which weighs 60 milligrams. (2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank

Question 1 continued

A large area containing 27 horizontal lines for writing.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank

Question 1 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined area for writing the answer to Question 1.

Q1

(Total for Question 1 is 12 marks)

--	--

3. The discrete random variable X has probability distribution

$$P(X = x) = \frac{1}{5} \quad x = 1, 2, 3, 4, 5$$

- (a) Write down the name given to this distribution. (1)

Find

- (b) $P(X = 4)$ (1)

- (c) $F(3)$ (1)

- (d) $P(3X - 3 > X + 4)$ (2)

- (e) Write down $E(X)$ (1)

- (f) Find $E(X^2)$ (2)

- (g) Hence find $\text{Var}(X)$ (2)

Given that $E(aX - 3) = 11.4$

- (h) find $\text{Var}(aX - 3)$ (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank

Question 3 continued

Lined area for writing the answer to Question 3.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- 4. A researcher recorded the time, t minutes, spent using a mobile phone during a particular afternoon, for each child in a club.

The researcher coded the data using $v = \frac{t - 5}{10}$ and the results are summarised in the table below.

Coded Time (v)	Frequency (f)	Coded Time Midpoint (m)
$0 \leq v < 5$	20	2.5
$5 \leq v < 10$	24	a
$10 \leq v < 15$	16	12.5
$15 \leq v < 20$	14	17.5
$20 \leq v < 30$	6	b

(You may use $\sum fm = 825$ and $\sum fm^2 = 12\ 012.5$)

- (a) Write down the value of a and the value of b . (1)
- (b) Calculate an estimate of the mean of v . (1)
- (c) Calculate an estimate of the standard deviation of v . (2)
- (d) Use linear interpolation to estimate the median of v . (2)
- (e) Hence describe the skewness of the distribution. Give a reason for your answer. (2)
- (f) Calculate estimates of the mean and the standard deviation of the time spent using a mobile phone during the afternoon by the children in this club. (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave
blank

Question 4 continued

A series of horizontal lines for writing answers.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank

Question 4 continued

A large area of horizontal lines provided for writing the answer to Question 4.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 4 continued

[Area with horizontal lines for writing]

(Total for Question 4 is 12 marks)

Q4

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

5. A biased tetrahedral die has faces numbered 0, 1, 2 and 3. The die is rolled and the number face down on the die, X , is recorded. The probability distribution of X is

x	0	1	2	3
$P(X = x)$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{2}$

If $X = 3$ then the final score is 3

If $X \neq 3$ then the die is rolled again and the final score is the sum of the two numbers.

The random variable T is the final score.

- (a) Find $P(T = 2)$ (2)

- (b) Find $P(T = 3)$ (3)

- (c) Given that the die is rolled twice, find the probability that the final score is 3 (3)

6. Three events A, B and C are such that

$$P(A) = \frac{2}{5} \quad P(C) = \frac{1}{2} \quad P(A \cup B) = \frac{5}{8}$$

Given that A and C are mutually exclusive find

- (a) $P(A \cup C)$ (1)

Given that A and B are independent

- (b) show that $P(B) = \frac{3}{8}$ (4)

- (c) Find $P(A | B)$ (1)

Given that $P(C' \cap B') = 0.3$

- (d) draw a Venn diagram to represent the events A, B and C (5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

7. A machine fills bottles with water. The volume of water delivered by the machine to a bottle is X ml where $X \sim N(\mu, \sigma^2)$

One of these bottles of water is selected at random.

Given that $\mu = 503$ and $\sigma = 1.6$

(a) find

- (i) $P(X > 505)$
- (ii) $P(501 < X < 505)$

(5)

(b) Find w such that $P(1006 - w < X < w) = 0.9426$

(3)

Following adjustments to the machine, the volume of water delivered by the machine to a bottle is such that $\mu = 503$ and $\sigma = q$

Given that $P(X < r) = 0.01$ and $P(X > r + 6) = 0.05$

(c) find the value of r and the value of q

(7)

Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined area for writing the answer to Question 7.

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 7 continued

Lined area for writing the answer to Question 7.

