

Write your name here

Surname

Other names

Pearson Edexcel
International GCSE

Centre Number

--	--	--	--	--	--

Candidate Number

--	--	--	--	--

Chemistry

Unit: 4CH0

Paper: 2C

Wednesday 17 January 2018 – Afternoon

Time: 1 hour

Paper Reference

4CH0/2C

You must have:

Calculator

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ~~☒~~ and then mark your new answer with a cross ☒.

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P53146A

©2018 Pearson Education Ltd.

1/1/1/1/



Pearson

THE PERIODIC TABLE

Group 1 2 3 4 5 6 7 0

Period

4	He	Helium	2
---	----	--------	---

1	H	Hydrogen	1
---	---	----------	---

7	Li	Lithium	3	9	Be	Beryllium	4	11	B	Boron	5	12	C	Carbon	6	13	Al	Aluminium	13	14	N	Nitrogen	7	15	P	Phosphorus	15	16	O	Oxygen	8	17	F	Fluorine	9	18	Ne	Neon	10																																																																																																																																																																																												
23	Na	Sodium	11	24	Mg	Magnesium	12	27	Al	Aluminium	13	28	Si	Silicon	14	31	P	Phosphorus	15	32	S	Sulfur	16	35.5	Cl	Chlorine	17	39	K	Potassium	19	40	Ca	Calcium	20	45	Sc	Scandium	21	48	Ti	Titanium	22	51	V	Vanadium	23	52	Cr	Chromium	24	55	Mn	Manganese	25	56	Fe	Iron	26	59	Co	Cobalt	27	59	Ni	Nickel	28	63.5	Cu	Copper	29	70	Ga	Gallium	31	73	Ge	Germanium	32	75	As	Arsenic	33	79	Se	Selenium	34	84	Kr	Krypton	36	86	Rb	Rubidium	37	88	Sr	Strontium	38	89	Y	Yttrium	39	91	Zr	Zirconium	40	93	Nb	Niobium	41	96	Mo	Molybdenum	42	101	Ru	Ruthenium	44	103	Rh	Rhodium	45	106	Pd	Palladium	46	108	Ag	Silver	47	112	Cd	Cadmium	48	115	In	Indium	49	119	Sn	Tin	50	122	Sb	Antimony	51	127	I	Iodine	53	133	Cs	Caesium	55	137	Ba	Barium	56	151	Eu	Europium	63	162	Dy	Dysprosium	65	173	Ho	Holmium	67	175	Er	Erbium	68	181	Ta	Tantalum	73	184	W	Tungsten	74	186	Re	Rhenium	75	192	Os	Osmium	76	195	Pt	Platinum	78	197	Au	Gold	79	201	Hg	Mercury	80	204	Tl	Thallium	81	207	Pb	Lead	82	209	Bi	Bismuth	83	210	Po	Polonium	84	210	At	Astatine	85	222	Rn	Radon	86
223	Fr	Francium	87	226	Ra	Radium	88	227	Ac	Actinium	89	232	Th	Thorium	90	238	U	Uranium	92	238	Pa	Protactinium	91	232	Th	Thorium	90	232	Pa	Protactinium	91	232	U	Uranium	92	238	Np	Neptunium	93	237	Pu	Plutonium	94	244	Am	Americium	95	243	Cm	Curium	96	247	Bk	Berkelium	97	247	Cf	Californium	98	251	Es	Einsteinium	99	252	Fm	Fermium	100	257	Mn	Mendelevium	101	258	Nv	Nobelium	102	259	Lr	Lutetium	103	262	Rf	Rutherfordium	104	261	Db	Dubnium	105	262	Sg	Seaborgium	106	263	Bh	Berkelium	107	264	Hs	Hassium	108	265	Mt	Mendelevium	109	266	Ds	Darmstadtium	110	267	Rg	Rutherfordium	111	268	Cn	Copernicium	112	269	Nh	Nihonium	113	270	Fl	Flerovium	114	271	Mc	Moscovium	115	272	Lv	Livermorium	116	273	Ts	Tennessium	117	274	Og	Oganesson	118	274	Uu	Ununseptium	119	275	Uub	Ununoctium	120	276																																																																															

Key

Relative atomic mass
Symbol
Name
Atomic number

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




Answer ALL questions.


1 These pieces of apparatus are used in chemistry experiments.



P



Q



R



S

(a) Name these pieces of apparatus.

(4)

P

Q

R

S

(b) Apparatus P contains dilute hydrochloric acid.

Litmus indicator is added to this acid.

What is the final colour of the litmus?

A blue

B green

C orange

D red

(1)

(c) Apparatus R contains potassium hydroxide solution.

Litmus indicator is added to this alkaline solution.

What is the final colour of the litmus?

A blue

B green

C orange


D red

(1)

(Total for Question 1 = 6 marks)



2 The diagram shows an atom of lithium with atomic number 3 and mass number of 6.



(a) Name the particle labelled E.

(1)

(b) Name the part of the atom labelled F.

(1)

(c) Name the two types of particle found in part F.

(2)

1

2

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(d) Another type of lithium atom has atomic number 3 and mass number 7.

- (i) State the name given to atoms with the same atomic number but different mass numbers.

(1)

- (ii) Draw a diagram to show the arrangement of electrons in an atom of lithium with atomic number 3 and mass number 7.

(1)

(e) A sample of lithium contains 92.5% of atoms with mass number 7 and 7.5% of atoms with mass number 6.

Calculate the relative atomic mass of lithium.

(2)

relative atomic mass =

(Total for Question 2 = 8 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




3 A student is provided with a solution of dilute sulfuric acid and a solution of sodium hydroxide. The student does a titration using 25.0 cm^3 of the sodium hydroxide solution. She adds the acid from a burette.

(a) Which type of reaction occurs between dilute sulfuric acid and sodium hydroxide?

(1)

- A displacement
- B neutralisation
- C precipitation
- D redox

(b) The diagram shows the student's burette readings for the titration.



(i) Use the readings to complete the table, giving all values to the nearest 0.05 cm^3 .

(3)

burette reading after adding acid	
burette reading before adding acid	
volume in cm^3 of acid added	



(ii) Explain why the student needs to repeat the titration in order to obtain a reliable value for the volume of acid required to react exactly with 25.0 cm³ of sodium hydroxide solution.

(2)

.....

.....

.....

.....

.....

.....

.....

(Total for Question 3 = 6 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 4 (a) This is the displayed formula of an organic compound, X.



- (i) Give the molecular formula of compound X. (1)

- (ii) A student describes compound X as a saturated hydrocarbon.
Explain whether the student is correct. (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- (b) Compound X and ethanol are members of the homologous series of alcohols.


One property of members of a homologous series is that they have similar chemical reactions.

- Give one other property of members of a homologous series. (1)



(c) This apparatus is used for a dehydration reaction using compound X.

This reaction is similar to the dehydration reaction of ethanol.




The reaction produces gas Y and one other product.

(i) State the purpose of the aluminium oxide. (1)

(ii) State a property of gas Y that allows it to be collected over water. (1)

(iii) Give a reason why the first sample of gas Y collected is not pure. (1)

(iv) Complete the equation for the dehydration reaction showing the displayed formula of gas Y and the molecular formula of the other product. (2)



(v) Give the name of gas Y. (1)

(Total for Question 4 = 11 marks)



5 Chromium is a shiny metal that has many uses.

Most chromium is extracted from the ore chromite, FeCr_2O_4


(a) Complete the table by giving the names of the elements in FeCr_2O_4

(1)

Chemical symbol	Name of element
Fe	
Cr	
O	

(b) In the extraction process, chromite is converted into chromium(III) oxide, Cr_2O_3

Chromium is made by this reaction



(i) Write a chemical equation for this reaction.

(2)

(ii) Explain what the reaction shows about the reactivity of chromium compared to the reactivity of aluminium.

(2)

(iii) Explain why the reaction between chromium oxide and aluminium is described as a redox reaction.

(2)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




(c) Chromium metal reacts with dilute hydrochloric acid to form hydrogen gas.

This apparatus is used to investigate the reaction.



The equation for the reaction is



A student adds 0.13 g of a sample of chromium metal to excess dilute hydrochloric acid.

- (i) Calculate the maximum volume of hydrogen gas that the student could produce in this experiment at room temperature and pressure (rtp).

[molar volume of a gas is 24 dm³ at rtp]

(3)

maximum volume = dm³

- (ii) The student does the experiment at rtp and finds that the volume collected is less than the calculated maximum.

Give two possible reasons for this.

(2)

1

2

(Total for Question 5 = 12 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6 Lithium fluoride, LiF, and magnesium oxide, MgO, are ionic compounds.

(a) (i) Calculate the relative formula mass (M_r) of MgO.

(1)

$M_r =$

(ii) Give the formulae of the two ions in LiF.

(1)

..... and

(b) Explain why

- ionic compounds have high melting points
- the melting point of magnesium oxide is much higher than the melting point of lithium fluoride

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Explain why ionic compounds do not conduct electricity when solid, but do conduct electricity when molten or in aqueous solution.

(2)

.....

.....

.....

.....

.....

.....

.....

(Total for Question 6 = 8 marks)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 5 3 1 4 6 A 0 1 3 1 6

- 7 The diagram shows the electrolysis of concentrated sodium chloride solution in a diaphragm cell.



- (a) (i) The ionic half-equation for the reaction at the positive electrode is



Use this equation to explain why oxidation occurs at the positive electrode.

(2)

.....

.....

.....

.....

- (ii) At the negative electrode, water molecules gain electrons to form hydroxide ions and hydrogen gas.

Complete the ionic half-equation for this reaction.

(2)



- (b) Chlorine reacts with sodium hydroxide to produce a mixture of water, sodium chloride and sodium chlorate(I), NaOCl.

Write a chemical equation for this reaction.

(1)

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Chlorine is used in the manufacture of the addition polymer poly(chloroethene).

(i) Explain how an addition polymer is formed from its monomers.

(2)

.....


.....

.....

.....

(ii) Complete this equation by drawing the displayed formula of poly(chloroethene).

(2)



(Total for Question 7 = 9 marks)

TOTAL FOR PAPER = 60 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

Every effort has been made to contact copyright holders to obtain their permission for the use of copyright material. Pearson Education Ltd. will, if notified, be happy to rectify any errors or omissions and include any such rectifications in future editions.

