

Please check the examination details below before entering your candidate information

Candidate surname					Other names				
Centre Number					Candidate Number				
Pearson Edexcel International GCSE (9–1)									
<b>Wednesday 12 June 2019</b>									
Morning (Time: 1 hour 15 minutes)					Paper Reference <b>4CH1/2CR</b>				
<b>Chemistry</b>									
<b>Unit: 4CH1</b>									
<b>Paper: 2CR</b>									
You must have: Calculator								Total Marks	

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box . If you change your mind about an answer, put a line through the box  and then mark your new answer with a cross .

### Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*

### Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P60183A

©2019 Pearson Education Ltd.

1/1/1/1/1/1/1/1/



  
Pearson

# The Periodic Table of the Elements

1	2	3	4	5	6	7	0																																																							
7 <b>Li</b> lithium 3	9 <b>Be</b> beryllium 4	23 <b>Na</b> sodium 11	24 <b>Mg</b> magnesium 12	39 <b>K</b> potassium 19	40 <b>Ca</b> calcium 20	85 <b>Rb</b> rubidium 37	88 <b>Sr</b> strontium 38	133 <b>Cs</b> caesium 55	137 <b>Ba</b> barium 56	223 <b>Fr</b> francium 87	226 <b>Ra</b> radium 88	239 <b>Ac*</b> actinium 89	[261] <b>Rf</b> rutherfordium 104	[262] <b>Db</b> dubnium 105	[266] <b>Sg</b> seaborgium 106	[264] <b>Bh</b> bohrium 107	[277] <b>Hs</b> hassium 108	[268] <b>Mt</b> meitnerium 109	[271] <b>Ds</b> darmstadtium 110	[272] <b>Rg</b> roentgenium 111	201 <b>Hg</b> mercury 80	204 <b>Tl</b> thallium 81	207 <b>Pb</b> lead 82	209 <b>Bi</b> bismuth 83	[209] <b>Po</b> polonium 84	[210] <b>At</b> astatine 85	[222] <b>Rn</b> radon 86	131 <b>Xe</b> xenon 54	127 <b>I</b> iodine 53	128 <b>Te</b> tellurium 52	122 <b>Sb</b> antimony 51	119 <b>Sn</b> tin 50	115 <b>In</b> indium 49	112 <b>Cd</b> cadmium 48	108 <b>Ag</b> silver 47	106 <b>Pd</b> palladium 46	103 <b>Rh</b> rhodium 45	101 <b>Ru</b> ruthenium 44	56 <b>Fe</b> iron 26	55 <b>Mn</b> manganese 25	59 <b>Co</b> cobalt 27	59 <b>Ni</b> nickel 28	63.5 <b>Cu</b> copper 29	65 <b>Zn</b> zinc 30	70 <b>Ga</b> gallium 31	73 <b>Ge</b> germanium 32	75 <b>As</b> arsenic 33	79 <b>Se</b> selenium 34	80 <b>Br</b> bromine 35	84 <b>Kr</b> krypton 36	119 <b>In</b> indium 49	122 <b>Sb</b> antimony 51	128 <b>Te</b> tellurium 52	127 <b>I</b> iodine 53	131 <b>Xe</b> xenon 54	201 <b>Hg</b> mercury 80	204 <b>Tl</b> thallium 81	207 <b>Pb</b> lead 82	209 <b>Bi</b> bismuth 83	[209] <b>Po</b> polonium 84	[210] <b>At</b> astatine 85	[222] <b>Rn</b> radon 86
<p style="text-align: center;">1 <b>H</b> hydrogen 1</p>																																																														
<p style="text-align: center;">4 <b>He</b> helium 2</p>																																																														
<p style="text-align: center;">20 <b>Ne</b> neon 10</p>																																																														
<p style="text-align: center;">35.5 <b>Cl</b> chlorine 17</p>																																																														
<p style="text-align: center;">32 <b>S</b> sulfur 16</p>																																																														
<p style="text-align: center;">16 <b>O</b> oxygen 8</p>																																																														
<p style="text-align: center;">19 <b>F</b> fluorine 9</p>																																																														
<p style="text-align: center;">14 <b>N</b> nitrogen 7</p>																																																														
<p style="text-align: center;">12 <b>C</b> carbon 6</p>																																																														
<p style="text-align: center;">11 <b>B</b> boron 5</p>																																																														
<p style="text-align: center;">27 <b>Al</b> aluminum 13</p>																																																														
<p style="text-align: center;">28 <b>Si</b> silicon 14</p>																																																														
<p style="text-align: center;">31 <b>P</b> phosphorus 15</p>																																																														
<p style="text-align: center;">32 <b>S</b> sulfur 16</p>																																																														
<p style="text-align: center;">35.5 <b>Cl</b> chlorine 17</p>																																																														
<p style="text-align: center;">40 <b>Ar</b> argon 18</p>																																																														
<p style="text-align: center;">84 <b>Kr</b> krypton 36</p>																																																														
<p style="text-align: center;">131 <b>Xe</b> xenon 54</p>																																																														
<p style="text-align: center;">209 <b>Bi</b> bismuth 83</p>																																																														
<p style="text-align: center;">[209] <b>Po</b> polonium 84</p>																																																														
<p style="text-align: center;">[210] <b>At</b> astatine 85</p>																																																														
<p style="text-align: center;">[222] <b>Rn</b> radon 86</p>																																																														
<p style="text-align: center;">Elements with atomic numbers 112-116 have been reported but not fully authenticated</p>																																																														

**Key**

relative atomic mass  
atomic symbol  
name  
atomic (proton) number

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



**Answer ALL questions.**

1 This question is about gases in the atmosphere.

(a) The box gives the names of some gases in the atmosphere.

argon	carbon dioxide	helium
nitrogen	oxygen	

Use gases from the box to answer the questions.

Each gas may be used once, more than once or not at all.

(i) Identify the two noble gases.

(1)

(ii) Identify the gas that is a compound.

(1)

(iii) Identify the most abundant gas in the atmosphere.

(1)

(iv) Identify the greenhouse gas.

(1)


(b) Describe the test for oxygen.

(1)

**(Total for Question 1 = 5 marks)**



2 The diagram represents an atom of boron.



(a) Use information from the diagram to complete the table.

The first row has been done for you.

(5)

atomic number	5
mass number	
number of neutrons	
group in the Periodic Table that contains boron	
period in the Periodic Table that contains boron	
electronic configuration of an atom of boron	

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Boron has two isotopes, boron-10 and boron-11.

A sample of boron contains 18.7% of boron-10 and 81.3% of boron-11.

Calculate the relative atomic mass of this sample of boron.

(2)

relative atomic mass = .....

**(Total for Question 2 = 7 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA



P 6 0 1 8 3 A 0 5 2 0

3 Crude oil is an important source of organic compounds.

(a) The diagram shows crude oil being separated into different fractions.



(i) Name the process used to separate crude oil into different fractions.

(1)

(ii) State what happens to the crude oil at X.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(iii) Describe the differences between fraction B and fraction E.

In your answer, refer to

- size of the molecules
- boiling point
- colour
- viscosity

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(b) Crude oil often contains sulfur as an impurity.

Explain why this is a problem when using crude oil fractions as fuels.

(2)

.....

.....

.....

.....

.....

**(Total for Question 3 = 8 marks)**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**





4 This question is about the halogens and their compounds.

(a) The table gives the colour and physical state at room temperature of the halogens.

Complete the table by predicting the colour of astatine and the physical state of fluorine at room temperature.

(2)

Halogen	Colour	Physical state at room temperature
fluorine	pale yellow	
chlorine	pale green	gas
bromine	red-brown	liquid
iodine	dark grey	solid
astatine		solid

(b) Chlorine gas is bubbled into a colourless solution of potassium bromide.

Explain why the solution turns orange.

(2)

.....

.....

.....

.....

(c) Potassium bromide is an ionic compound.

Draw diagrams to show the outer electrons in a potassium ion and in a bromide ion.

Include the charges on the ions.

(3)

potassium ion	bromide ion
---------------	-------------



(d) A student sets up a circuit to test the electrical conductivity of water, solid sodium chloride and aqueous sodium chloride.

The table shows the student's results.

Substance	Conducts electricity?
water	no
solid sodium chloride	no
aqueous sodium chloride	yes

Explain these results, with reference to the structure and bonding of the substances.

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (e) A concentrated aqueous solution of sodium chloride is electrolysed using graphite electrodes.

Chlorine is formed at the positive electrode (anode).

- (i) Give an ionic half-equation for the formation of chlorine at the positive electrode. (1)

- (ii) State why this ionic half-equation represents an oxidation reaction. (1)

- (iii) Which substance is formed at the negative electrode (cathode)? (1)

- A hydrogen  
 B oxygen  
 C sodium  
 D water

(Total for Question 4 = 15 marks)



5 This question is about the reactions of carboxylic acids.

(a) Carboxylic acids react with solutions of metal carbonates.

(i) Complete the chemical equation for the reaction of ethanoic acid,  $\text{CH}_3\text{COOH}$ , with potassium carbonate solution.

(2)



(ii) State what you would see in this reaction.

(1)

(b) The ester, ethyl ethanoate, can be prepared by reacting ethanol with ethanoic acid.

This is the method for the preparation.

- mix equal amounts of ethanoic acid and ethanol in a boiling tube
- add a few drops of concentrated sulfuric acid
- place the boiling tube in a hot water bath for several minutes

(i) State the role of concentrated sulfuric acid in this reaction.

(1)

(ii) Suggest why the mixture is heated in a water bath rather than directly with a Bunsen burner flame.

(1)

(iii) State how you would know that ethyl ethanoate has formed.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Another ester, methyl propanoate, can be prepared by reacting methanol with propanoic acid.

(i) Draw the displayed formulae of methanol, propanoic acid and the ester, methyl propanoate.

(3)

methanol	propanoic acid
----------	----------------

methyl propanoate
-------------------

(ii) Give the name of the other product of this reaction.

(1)

(d) Give one use of esters.

(1)

**(Total for Question 5 = 11 marks)**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



6 When a bottle of wine is left open for several days, some of the ethanol in the wine turns to ethanoic acid,  $\text{CH}_3\text{COOH}$

(a) A scientist uses a titration method to investigate how much ethanoic acid is formed if a bottle of white wine is left open for one week.

She uses this method.

- fill a burette with the white wine and record the reading
- add  $25.0\text{ cm}^3$  of sodium hydroxide solution to a conical flask
- add a few drops of phenolphthalein indicator to the flask
- swirl the flask continuously while adding wine from the burette
- add the wine drop by drop near the end point
- record the reading at the end point

(i) Name the piece of apparatus that would be most suitable for measuring the  $25.0\text{ cm}^3$  of sodium hydroxide solution.

(1)

(ii) Suggest why red wine would not be suitable to use for this investigation.

(1)

(iii) State why she swirls the flask continuously.


(1)

(iv) State why she adds the wine drop by drop near the end point.

(1)



(b) The diagram shows the burette readings at the start and end of one of the titrations.



Use the readings to complete the table.

Give your values to the nearest 0.05 cm<sup>3</sup>.

(3)

burette reading at end	
burette reading at start	
volume of wine added in cm <sup>3</sup>	

(c) The scientist repeats the titration four more times.

The table shows her results for these four titrations.

titration number	1	2	3	4
volume of wine added in cm <sup>3</sup>	20.40	20.10	20.35	20.45
concordant results				

Concordant results are those within 0.20 cm<sup>3</sup> of each other.

(i) Add ticks (✓) to the table to show the concordant results.

(1)

(ii) Use your ticked results to calculate the mean (average) volume of wine added.

(2)

mean volume of wine added = ..... cm<sup>3</sup>

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA





- (d) Another scientist repeats the titration with a different bottle of white wine that has been left open for a week.

The equation for the reaction that occurs in this titration is



The mean volume of wine added is  $19.50 \text{ cm}^3$ .

- (i) The concentration of the sodium hydroxide solution is  $0.0500 \text{ mol/dm}^3$ .

Calculate the amount, in moles, of NaOH in  $25.0 \text{ cm}^3$  of sodium hydroxide solution. (2)

amount of NaOH = ..... mol

- (ii) Deduce the amount, in moles, of  $\text{CH}_3\text{COOH}$  in  $19.50 \text{ cm}^3$  of the wine. (1)

amount of  $\text{CH}_3\text{COOH}$  = ..... mol

- (iii) Calculate the concentration, in  $\text{mol/dm}^3$ , of  $\text{CH}_3\text{COOH}$  in the wine. (2)

concentration of  $\text{CH}_3\text{COOH}$  = .....  $\text{mol/dm}^3$


**(Total for Question 6 = 15 marks)**



- 7 Hydrogen gas can be produced by reacting a mixture of methane and steam in the presence of a nickel catalyst.

The reaction conditions are a temperature of 700 °C and a pressure of 5 atmospheres.

The equation for the reaction is



- (a) What does the symbol  $\rightleftharpoons$  represent?

(1)

- (b) (i) The mixture of methane and steam is heated to a temperature greater than 700 °C but the pressure is kept at 5 atmospheres.

Predict the effect of this change on the yield of hydrogen at equilibrium, giving a reason for your answer.

(2)

- (ii) The mixture of methane and steam is kept at the same temperature of 700 °C but the pressure is increased to more than 5 atmospheres.

Predict the effect of this change on the yield of hydrogen at equilibrium, giving a reason for your answer.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(c) Calculate the volume, in  $\text{dm}^3$ , of hydrogen gas at rtp that is produced when 10 tonnes of methane gas completely react with steam.

[molar volume of hydrogen at rtp is  $24 \text{ dm}^3$ ]

Give your answer in standard form.

(4)

volume of hydrogen = .....  $\text{dm}^3$

**(Total for Question 7 = 9 marks)**

**TOTAL FOR PAPER = 70 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

