

Mark Scheme (Results)

Summer 2016

Pearson Edexcel International GCSE  
in Human Biology (4HB0 01) Paper 01

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2016

Publications Code 4HB0\_01\_1606\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2016


## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number		Answer	Accept	Reject	Marks
1 (a)		C; (16 chromosomes)			1
(b)		A; (balance)			1
(c)		A;			1
(d)		D; (protein)			1
(e)		B; (gonorrhoea)			1
(f)		B; (a cell wall)			1
(g)		C; (pancreas)			1
(h)		B; (between the two lungs)			1
(i)		C; (sulfur dioxide)			1
(j)		A;			1
					Total 10

Question number	Answer	Accept	Reject	Marks
2 (a)	<p><b>The human heart consists of four chambers. The upper two chambers are called the ...atria;...and they .receive;..blood from the veins.</b></p> <p><b>The lower chambers are the .....ventricles;..... . The right lower chamber pumps blood to the .....lungs;..... , whilst the left lower chamber pumps blood to the .....body;..... .</b></p> <p><b>The wall of the heart is made of ....cardiac muscle;.... and the chamber with the thickest wall is the .....left ventricle..... .</b></p> <p><b>At rest, the average heart beats at about ....seventy..... times a minute.</b></p>			8
(b) (i)	<p>A = vena cava;            B = pulmonary artery;            C = aorta;            D = pulmonary vein;</p>	Accept A= superior/inferior vena cava		4
(ii)	<ul style="list-style-type: none"> <li>• semi-lunar valve closed;</li> <li>• bicuspid open;</li> </ul>	Ignore any drawing on the right-hand side of diagram		2

(iii)		<ul style="list-style-type: none"><li>• semi-lunar;</li><li>• bicuspid/mitral;</li></ul>	atrioventricular		2 Total 16
-------	--	--	------------------	--	---------------

Question number	Answer	Accept	Reject	Marks				
3 (a) (i)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;">concentration (of sugar) in au;</td> <td style="width: 50%; padding: 5px;">% change (in mass) ;</td> </tr> <tr> <td style="padding: 5px;">appropriate order/high to low/low to high;</td> <td style="padding: 5px;">figures correctly matching those in first column;</td> </tr> </table>	concentration (of sugar) in au;	% change (in mass) ;	appropriate order/high to low/low to high;	figures correctly matching those in first column;			4
concentration (of sugar) in au;	% change (in mass) ;							
appropriate order/high to low/low to high;	figures correctly matching those in first column;							
(ii)	<ul style="list-style-type: none"> <li>• suitable scale on axes ;</li> <li>• correct axes labels with sugar concentration on X axis;</li> <li>• correct plots;</li> <li>• suitable line;</li> </ul> 	<p>Max 2 marks if bar chart drawn (mp 1 and 2)</p> <p>Ignore extrapolated lines</p>		4				
(iii)	<ul style="list-style-type: none"> <li>• Accept value from candidate's graph <math>\pm 0.5</math> square</li> </ul>			1				

Question number	Answer	Accept	Reject	Marks
(b) (i)	<ul style="list-style-type: none"> <li>• osmosis;</li> </ul>			1
(ii)	Two of <ul style="list-style-type: none"> <li>• movement of water;</li> <li>• down a water potential gradient;</li> <li>• movement dependent on concentration of sugar / from low to high concentration of sugar;</li> </ul>			2
(iii)	<ul style="list-style-type: none"> <li>• to dry them/remove water;</li> <li>• so results not affected/no extra mass due to water;</li> </ul>			2
(iv)	two of <ul style="list-style-type: none"> <li>• temperature;</li> <li>• surface area/ length/ diameter / size (of cylinder)/ use same cork borer;</li> <li>• volume/amount of sugar solution;</li> <li>• cylinders from same potato;</li> </ul>	Ignore mass		2
				Total 16



Question number		Answer	Accept	Reject	Marks
4 (a)		<ul style="list-style-type: none"> <li>• two bones come together;</li> </ul>			1
(b) (i)		<p>A = synovial fluid;            B = ligament;            C = cartilage;</p>			3
(ii)		<p>A</p> <ul style="list-style-type: none"> <li>• lubrication;</li> <li>• assist smooth movement of joint/reduces friction;</li> </ul> <p>B</p> <ul style="list-style-type: none"> <li>• holds two bones together/prevents dislocation;</li> <li>• allows movement;</li> </ul> <p>C</p> <ul style="list-style-type: none"> <li>• reduces friction/allows smooth movement/stops bones rubbing together;</li> <li>• shock absorber/cushions;</li> </ul>			2  2  2  Total 10

Question number		Answer	Accept	Reject	Marks
5 (a) (i)		<ul style="list-style-type: none"> <li>• 37 °C;</li> <li>• <u>body</u> temperature;</li> <li>• optimum conditions;</li> <li>• for enzyme activity;</li> </ul>	Allow numbers between 37 and 37.5		3
(ii)		<ul style="list-style-type: none"> <li>• control/compare results;</li> <li>• to prove that bacteria are needed/ cause the change to indicator;</li> <li>• boiling destroys/denatures enzymes/destroys bacteria;</li> <li>• unable to convert glucose to acid;</li> </ul>			3
(b)		<p>Any two of</p> <ul style="list-style-type: none"> <li>• food broken down;</li> <li>• by bacteria;</li> <li>• into glucose;</li> <li>• glucose converted (by bacteria) into (lactic) acid;</li> </ul>			2
					Total 8

Question number	Answer	Accept	Reject	Marks
6 (a) (i)	<ul style="list-style-type: none"> <li>• x 65;</li> <li>• 65 mg;</li> </ul>			2
(ii)	<ul style="list-style-type: none"> <li>• <math>\frac{88}{1600} \times 100</math>;</li> <li>• 5.5% ;</li> </ul>			2
(iii)	<ul style="list-style-type: none"> <li>• microscopic plants microscopic animals fish humans;</li> <li>• arrows from left to right between each pair;</li> </ul>			2
(b)	<p>Any 4 of</p> <ul style="list-style-type: none"> <li>• more organisms in chain;</li> <li>• more energy lost;</li> <li>• lost in respiration/movement;</li> <li>• most of energy doesn't reach humans/is not passed on;</li> <li>• accumulation of poisonous insecticides;</li> </ul>	ORA		4
				Total 10

Question number	Answer	Accept	Reject	Marks												
7 (a)	<p>Blood glucose concentration is regulated by ....negative; ..... feedback</p> <p>involving hormones secreted by the ..islets of Langerhans;... found in the</p> <p>pancreas. These contain alpha cells which detect reduced blood glucose</p> <p>concentration, which as a result will secrete ...glucagon;... .</p> <p>This hormone returns the blood glucose concentration to normal by</p> <p>stimulating the conversion of ...glycogen; .... to ..glucose;... .</p> <p>The beta cells detect a raised blood glucose concentration and secrete the</p> <p>hormone ....insulin;... which returns blood glucose levels to normal.</p>			6												
(b)	<p>four of</p> <table border="1" data-bbox="470 1110 1283 1362"> <thead> <tr> <th data-bbox="470 1110 877 1149">nervous</th> <th data-bbox="877 1110 1283 1149">hormonal</th> </tr> </thead> <tbody> <tr> <td data-bbox="470 1149 877 1188">fast(er) response</td> <td data-bbox="877 1149 1283 1188">slow(er) response;</td> </tr> <tr> <td data-bbox="470 1188 877 1256">uses nerves for transport</td> <td data-bbox="877 1188 1283 1256">uses blood (circulation);</td> </tr> <tr> <td data-bbox="470 1256 877 1295">short term effect</td> <td data-bbox="877 1256 1283 1295">long lasting effect;</td> </tr> <tr> <td data-bbox="470 1295 877 1334">limited area of effect</td> <td data-bbox="877 1295 1283 1334">widespread;</td> </tr> <tr> <td data-bbox="470 1334 877 1362">electrical</td> <td data-bbox="877 1334 1283 1362">chemical;</td> </tr> </tbody> </table>	nervous	hormonal	fast(er) response	slow(er) response;	uses nerves for transport	uses blood (circulation);	short term effect	long lasting effect;	limited area of effect	widespread;	electrical	chemical;			4 Total 10
nervous	hormonal															
fast(er) response	slow(er) response;															
uses nerves for transport	uses blood (circulation);															
short term effect	long lasting effect;															
limited area of effect	widespread;															
electrical	chemical;															

Question number	Answer	Accept	Reject	Marks
8 (a) (i)	Any three from <ul style="list-style-type: none"> <li>• cells stick together;</li> <li>• cells block <u>capillaries</u>;</li> <li>• reduced blood flow/blood cannot flow freely/reduced surface area of red blood cells;</li> <li>• resulting in less oxygen transported;</li> <li>• less respiration/less energy/less activity/tired/prone to strokes/heart attack;</li> </ul>			3
(ii)	<ul style="list-style-type: none"> <li>• resistant to malaria;</li> </ul>			1
(b) (i)	<ul style="list-style-type: none"> <li>• tree shows presence of male carrier/both male and female carriers;</li> <li>• can't have male carriers if condition is sex linked;</li> <li>• (equal number of) males and females have condition;</li> </ul>			2
(ii)	<ul style="list-style-type: none"> <li>• heterozygous/description of heterozygous;</li> <li>• (faulty) allele not expressed/characteristic/condition not shown;</li> </ul>			2
(iii)	<ul style="list-style-type: none"> <li>• Nn;</li> </ul>			1

(iv)		Any three from <ul style="list-style-type: none"><li>• person H;</li><li>• as both his parents are carriers/heterozygous/have one faulty allele;</li><li>• must have nn/ be homozygous recessive to have condition/show symptoms;</li><li>• he must receive one allele from each parent;</li></ul>			3 Total 12
------	--	--	--	--	---------------

Question number		Answer	Accept	Reject	Marks
9 (a) (i)		A = sweat gland; B = hair; C = (blood) capillary/capillary loops;			3
	(ii)	<ul style="list-style-type: none"> <li>• causes hair to stand/moves hair on contraction;</li> </ul>			1
	(iii)	<ul style="list-style-type: none"> <li>• hair/B lies flat;</li> <li>• capillary/C becomes wider/dilates;</li> </ul>	allow vasodilation Ignore references to blood vessel moving		2
	(iv)	Any four from <ul style="list-style-type: none"> <li>• less air trapped by hairs;</li> <li>• air is an insulator/less insulation/allows convection;</li> <li>• more blood in capillary;</li> <li>• blood flows closer to skin surface;</li> <li>• blood carries heat (energy);</li> <li>• allows more heat to be lost from surface/allows body to cool down;</li> </ul>			
	(b) (i)	<ul style="list-style-type: none"> <li>• shivering;</li> </ul>			1

(ii)		Any three from <ul style="list-style-type: none"><li>• contraction requires energy;</li><li>• increased (aerobic) respiration;</li><li>• heat generated as a by-product;</li><li>• circulated in blood to raise body temperature;</li></ul>			3
					Total 14



Question number		Answer	Accept	Reject	Marks
10 (a)		A = head/nucleus; B = tail/flagellum;			2
(b)		<ul style="list-style-type: none"><li>• carries genes/DNA/chromosomes/genetic material;</li><li>• helps it to swim/move;</li></ul>			2
(c)		Any two from <ul style="list-style-type: none"><li>• ovum has more food;</li><li>• for embryo;</li><li>• easier/greater surface area for sperm to find/attach;</li><li>• easier for sperm to penetrate/fertilise;</li></ul>			2 Total 6

Question number		Answer	Accept	Reject	Marks
11 (a)		A = trachea; B = bronchus;			2
(b) (i)		<ul style="list-style-type: none"> <li>• 150 – 133;</li> <li>• 17dm<sup>3</sup>;</li> </ul>			2
(ii)		<ul style="list-style-type: none"> <li>• lactic acid/lactate;</li> </ul>			1
(iii)		<p>Any three from</p> <ul style="list-style-type: none"> <li>• more lactic acid produced;</li> <li>• needs to be broken down/removed/oxidised;</li> <li>• by liver;</li> <li>• more oxygen required for process;</li> </ul>			3
					Total 8



