

# Mark Scheme (Results)

Summer 2015

Pearson Edexcel International GCSE in Physics (4PH0) Paper 2PR



#### **Edexcel and BTEC Qualifications**

**Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body.** We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

#### Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2015 Publications Code UG042367 All the material in this publication is copyright © Pearson Education Ltd 2015

#### **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.


| Question<br>number |   |     | Answer  | Notes  | Marks |
|--------------------|---|-----|---|--|-------|
| 1                  | а |     | B;  |  | 1     |
|                    |   |     | E;  |  | 1     |
|                    | b | İ   | p = m.v   | in words or<br>accepted symbols<br>do not accept 'M'<br>for momentum | 1     |
|                    |   | ii  | substitution;<br>evaluation;<br>e.g.<br>900 x 15<br>14 000<br>unit = kg m/s OR N s; | 13 500<br>Independent<br>Allow<br>kg ms <sup>-1</sup>                | 3     |
|                    |   | 111 | $KE = \frac{1}{2} m.v^2;$   | in words or<br>accepted symbols<br>allow<br>speed for velocity       | 1     |
|                    |   | iv  | substitution;<br>evaluation;<br>e.g.<br>0.5 x 900 x 15 <sup>2</sup><br>100 000(J)   | 101 250<br>Allow<br>101 000  | 2     |
|                    |   |     |   | total = 9 mar  | ^ks   |

| Question<br>number | Ansv  | wer  |  | Notes   | Marks |
|--------------------|---|--|--|---|-------|
| 2 a                | Type of<br>radiation  | Deflected<br>upwards   | Deflected<br>downwards   | Not<br>deflected  | 4     |
|                    | alpha   | (√)  |  |   |       |
|                    | beta  |  | $\checkmark$   |   |       |
|                    | gamma   |  |  | $\checkmark$  |       |
|                    | neutrons  |  |  | $\checkmark$  |       |
|                    | protons   | $\checkmark$   |  |   |       |
|                    |   | each corr  | ect ;;;;   |   |       |
| b i                | <ul> <li>any sensible sugges</li> <li>phrased);</li> <li>e.g.</li> <li>alpha has a sma</li> <li>alpha would not</li> <li>alpha would be c</li> <li>alpha would colli <pre>{particles/molecc</pre> </li> <li>alpha would ionis <pre>particles/molecu</pre></li></ul> | Il range in air<br>hit the gold leaf<br>deflected<br>ide with the air<br>cules/RA}<br>se the {air/ | alpha  | es interact with  | 1     |
| ii                 | any TWO <b>results</b> fr<br>MP1. most went (s  |  | NB:  | tructure of atom or   | 2     |
|                    | <ul> <li>MP2. (the paths of deflected at an a angle;</li> <li>MP3. (the paths of deflected throu angle / backsc</li> </ul>  | acute/small<br>) very few were<br>gh an obtuse   | allow bent<br>allow<br>for obtuse<br>large<br>>90°<br>for backscatte   |   |       |
| C                  | MP 2, 4 can be she<br>diagram<br>any FOUR explanati<br>from:  |  | Ignore<br>ALL comment  | d off the gold foil<br>s about electrons<br>P 3, 5 a causal<br>ed | 4     |
|                    | <ul> <li>MP1. Small nucleus</li> <li>MP2. mostly empty</li> <li>MP3. because not r</li> <li>because most α</li> <li>through;</li> </ul>   | y space;<br>many $\alpha$ deflected ,  | /  |   |       |
|                    | MP4. Positive OR h<br>MP5. which causes<br><b>positive</b> (or <b>low</b>   | deflection of  | allow<br>protons are in<br>repulsion, rec<br>idea that α sa<br>nucleus |   |       |

| _ | Question<br>number |    | Answer  | Notes  | Marks |
|---|--------------------|----|---|--|-------|
| 3 | а                  | i  | moment = force x (perpendicular) distance<br>(from pivot) | in words or accepted symbols                             | 1     |
|   |                    | ii | $\begin{array}{llllllllllllllllllllllllllllllllllll$      | in words or in<br>numbers<br>allow working in cm<br>or m | 3     |
|   | b                  |    | MP1. Increases (force on newtonmeter);                    | may be shown by a calculation                            | 3     |
|   |                    |    | MP2. (because) weight of bar has a moment;                |  |       |
|   |                    |    | MP3. in same direction (clockwise) as 2 N weight;         | allow<br>$F_N = 62(N)$ for three<br>marks                |       |
|   |                    |    |   | total = 7 marks  |       |

|   | Question<br>number |  | Answer  | Notes  | Marks |
|---|--------------------|--|---|--|-------|
| 4 | а                  |  | <b>one</b> of:<br>iron is (soft) magnetic;<br>iron loses its magnetism easily;      | allow RA for steel   | 1     |
|   | b                  |  | these can be shown on a labelled diagram  | allow  | 3     |
|   |                    |  | MP1. current carrying (insulated)<br>wire;<br>MP2. wrapped into coil;               | wire shown connected<br>to a battery<br>solenoid = MP2 only                          |       |
|   |                    |  | MP3. wrapped on <b>iron</b> core;   |  |       |
|   | С                  |  | Any two <b>ideas</b> from:  | do not give marks for<br>• 'the door closes'/eq<br>• electricity<br>• power<br>allow | 2     |
|   |                    |  | MP1. current/ voltage reduces OR eq;  | current stops<br>circuit broken  |       |
|   |                    |  | MP2. magnetic field of em reduces;  | <ul> <li>iron plate no longer<br/>magnetised</li> </ul>                              |       |
|   |                    |  | MP3. (magnetic) force holding the<br>iron plate to the magnet no longer<br>present; |  |       |
|   |                    |  |   | total = 6 marks  | 5     |

|   | Question<br>number |           | Answer  | Notes  | Marks |
|---|--------------------|-----------|---|--|-------|
| 5 | а                  |           |   |  | 1     |
|   | b                  | i         | Any two ideas from:<br>MP1. it acts as water bath;<br>MP2. gives more gradual heating or<br>cooling<br>OR<br>gives (easier/better) control of<br>temperature; | allow<br>water distributes temperature<br>(more) evenly /RA for air<br>very high temperature | 2     |
|   |                    |           | MP3. protects the thermistor<br>against direct heating/prevents<br>intense heating;   |  |       |
|   |                    | ii        | B; in parallel across the<br>thermistor in series with the<br>thermistor  |  | 1     |
|   | С                  | i         | ignore orientation of the graph<br>suitable scales marked on both axes (<br>both axes labelled with quantity and u<br>points within ± ½ small square; ;       |  | 4     |
|   |                    | ii<br>iii | anomalous point at 60, 2350;<br>LOBF;<br>should go through 60, 1750 approx<br>no obvious abrupt changes of<br>gradient  |  | 1     |



| Question<br>number |   |     | Answer  | Notes   | Marks |
|--------------------|---|-----|---|---|-------|
| 6                  | а | i   | number of waves/cycles = $3.5$ ;  | 3.5 seen or implied   | 2     |
|                    |   |     | $\frac{0.60}{3.5} = 0.17 \text{ (m)};$  | 0.1714 (m)<br>17 cm<br>17.14 cm   |       |
|                    |   |     |   | For 1 mark only<br>17 (m), 17.14(m), 0.2<br>(m), 0.15 (m), 0.085<br>(m)                                 |       |
|                    |   | ii  | wave speed = frequency x wavelength   | allow words or accepted<br>symbols and<br>rearrangements  | 1     |
|                    |   | 111 | substitution;<br>rearrangement;<br>evaluation;<br>eg.<br>$3.0x10^8 = 0.17 \text{ x f}$ (1 mark)<br>$3.0x10^8 / 0.17$ (2 marks)  | allow ecf from ai   | 3     |
|                    |   |     | 1.8 x 10 <sup>9</sup> (Hz) (3 marks)  | 1.76 x 10 <sup>9</sup> (Hz)<br>1.75 x 10 <sup>9</sup> (Hz)  |       |
|                    | b | i   | diffraction;  | POT = -1  | 1     |
|                    |   | ii  |   |   | 2     |
|                    |   | 11  | <ul> <li>any two from:</li> <li>MP1. microwaves not diffracted as much;</li> <li>MP2. diffraction (only seen) when size of barrier/gap comparable to wavelength;</li> </ul> | must have quantifier-e.g<br>'little'<br>ignore 'microwaves not<br>diffracted'                           | 2     |
|                    |   |     | MP3. radio-waves have (much) longer<br>wavelength than microwaves/RA;   | wavelength of<br>microwaves (much)<br>smaller than size of<br>barrier<br>allow an implied<br>comparison |       |
|                    |   |     |   | total =9 marks  |       |
|                    |   |     |   | 101al = 9 111dl KS  |       |

| Question<br>number | Answer   | Notes                       | Marks |  |
|--------------------|--|-----------------------------|-------|--|
| 7                  | 6 marks from with a MAX of 2 from any one area   | allow other sensible points | 6     |  |
|                    | <ul> <li>benefits of nuclear fuel</li> <li>MP1. no CO<sub>2</sub> emitted / no smoke emitted;</li> <li>MP2. does not contribute to global<br/>warming;</li> <li>MP3. reliable/not weather dependant;</li> <li>MP4. small volume of waste;</li> <li>MP5. concentrated energy source/ not<br/>much transport costs to bring fuel;</li> <li>MP6. power stations are relatively small;</li> </ul>  | no green-house<br>effect    |       |  |
|                    | <ul> <li>disadvantages of nuclear fuel</li> <li>MP7. difficult to dispose of waste;</li> <li>MP8. accidents can spread radiation widely / risk of radiation leak;</li> <li>MP9. nuclear fuel is toxic / harmful / radioactive / difficult to handle / long half-life;</li> <li>MP10. decommissioning costs are very high;</li> <li>MP11. increased security risk/ terrorist attack;</li> </ul>   | Allow waste                 |       |  |
|                    | <ul> <li>benefits of biomass</li> <li>MP12. abundant sources / uses waste products from farms /houses/renewable;</li> <li>MP13. uses materials which would produce CO<sub>2</sub> anyway, so no net emission;</li> <li>MP14. can be used to create different products (e.g. manure) as well as energy;</li> <li>MP15. reduces landfill;</li> <li>MP16. (source is) relatively cheap;</li> </ul>  |                             |       |  |
|                    | <ul> <li>disadvantages of biomass</li> <li>MP17. relatively inefficient;</li> <li>MP18. can increase methane in<br/>atmosphere/can increase green-house<br/>gases;</li> <li>MP19. may require more land;</li> <li>MP20. high transport costs to collect raw<br/>material;</li> <li>MP21. can be smelly;</li> <li>MP22. often seasonal power source<br/>/variable output source;</li> <li>MP23. can be storage costs for biogas;</li> </ul> | causes acid rain            |       |  |

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R ORL, United Kingdom