

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

**CHEMISTRY**

**5070/01**

Paper 1 Multiple Choice

October/November 2005

**1 hour**

Additional Materials: Multiple Choice Answer Sheet  
Soft clean eraser  
Soft pencil (type B or HB is recommended)

**READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions.

For each question there are four possible answers **A, B, C** and **D**. Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

**Read the instructions on the Answer Sheet very carefully.**

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

This document consists of **14** printed pages and **2** blank pages.







1 Which of the following is a pure compound?


- A ethanol
- B petrol
- C steel
- D tap water

2 Substance **X** melts at  $53^{\circ}\text{C}$  and boils at  $100^{\circ}\text{C}$ . It does not dissolve in water and it does not react with water.

Which diagram shows the method most suitable for separating **X** from a mixture of **X** and water?




- 3 The coverplate is removed from the gas jars shown in the diagram. After several days the gas in both jars is the same.



Which statement explains this change?

- A** Oxygen and bromine gases have equal densities.  
**B** Oxygen and bromine molecules are in random motion.  
**C** Oxygen and bromine molecules diffuse at the same rate.  
**D** Equal volumes of oxygen and bromine contain equal numbers of molecules.
- 4 The diagrams show an experiment with aqueous ammonium chloride.



A gas, **Y**, is produced and the litmus paper changes colour.

What are solution **X** and gas **Y**?

	solution <b>X</b>	gas <b>Y</b>
<b>A</b>	aqueous sodium hydroxide	ammonia
<b>B</b>	aqueous sodium hydroxide	chlorine
<b>C</b>	dilute sulphuric acid	ammonia
<b>D</b>	dilute sulphuric acid	chlorine


5 Which two gases each change the colour of damp red litmus paper?

- A ammonia and chlorine
- B ammonia and hydrogen chloride
- C carbon dioxide and chlorine
- D carbon dioxide and sulphur dioxide

6 The atoms  ${}_{15}^{31}\text{P}$  and  ${}_{16}^{32}\text{S}$  have the same

- A nucleon number.
- B number of electrons.
- C number of neutrons.
- D number of protons.

7 The diagram shows the arrangement of electrons in a molecule of compound  $\text{YZ}_2$ .



key

- outer electron of a Y atom
- × outer electron of a Z atom

What are elements Y and Z?

	Y	Z
A	calcium	chlorine
B	carbon	oxygen
C	oxygen	hydrogen
D	sulphur	chlorine


8 Which **two** statements about a covalent bond are correct?

- 1 It can be formed between two metal atoms.
- 2 It can be formed between two non-metal atoms.
- 3 It is formed by the transfer of electrons between atoms.
- 4 It is formed by sharing electrons between atoms.

- A 1 and 3
- B 1 and 4
- C 2 and 3
- D 2 and 4




- 12 The diagram shows the electrolysis of a concentrated aqueous solution containing copper(II) ions and sodium ions.



Which metal is deposited at the negative electrode and why?

	metal deposited	reason
<b>A</b>	copper	copper is less reactive than sodium
<b>B</b>	copper	copper is more reactive than hydrogen
<b>C</b>	sodium	copper is less reactive than hydrogen
<b>D</b>	sodium	copper is more reactive than sodium

- 13 The energy profile diagram below is for a reaction  $\text{P} + \text{Q} \rightarrow \text{R} + \text{S}$ .




Which statement is correct?

- A** The activation energy of the reaction is  $(H_3 - H_1)$ .
- B** The activation energy of the reaction is  $(H_3 - H_2)$ .
- C**  $\Delta H$  is  $(H_1 - H_2)$ .
- D**  $\Delta H$  is  $(H_1 - H_3)$ .

- 14 The rate of the reaction between a given mass of calcium carbonate and an excess of hydrochloric acid is studied by collecting the carbon dioxide in a graduated syringe.


The results are shown in the graph.



How much time is required for half the calcium carbonate to react?

- A** 0.95 min      **B** 1.5 min      **C** 2.0 min      **D** 3.0 min
- 15 Ammonia is made by a reversible reaction between nitrogen and hydrogen.

The equation for the reaction is shown.



What is the effect of increasing the pressure in this process?

- A** Less ammonia is formed.  
**B** Less heat is produced.  
**C** More ammonia is formed.  
**D** The reaction slows down.

- 16 Separate samples of hydrogen peroxide are added to aqueous potassium iodide and aqueous potassium dichromate(VI). The iodide ions are oxidised and dichromate(VI) ions are reduced.

What colour changes are seen?

	potassium iodide	acidified potassium dichromate(VI)
<b>A</b>	colourless to brown	purple to colourless
<b>B</b>	brown to colourless	purple to colourless
<b>C</b>	colourless to brown	orange to green
<b>D</b>	brown to colourless	orange to green

- 17 In which line in the table is **all** the information correct?

	reaction at electrode	electrode	product
<b>A</b>	$2X^- \rightarrow X_2 + 2e^-$	cathode	metal
<b>B</b>	$X^+ + e^- \rightarrow X$	anode	metal
<b>C</b>	$2X^- \rightarrow X_2 + 2e^-$	anode	non-metal
<b>D</b>	$X^+ + e^- \rightarrow X$	cathode	non-metal

- 18 Which two reagents could be used to prepare the insoluble salt copper(II) carbonate?

- A**  $\text{CuO(s)} + \text{Na}_2\text{CO}_3\text{(aq)}$
- B**  $\text{CuO(s)} + \text{MgCO}_3\text{(s)}$
- C**  $\text{CuSO}_4\text{(aq)} + \text{Na}_2\text{CO}_3\text{(aq)}$
- D**  $\text{CuSO}_4\text{(aq)} + \text{MgCO}_3\text{(s)}$

- 19 Which statement does **not** describe a property of a weak acid in solution?

- A** It forms a salt with sodium hydroxide.
- B** It has a pH of between 8 and 9.
- C** It is only partly dissociated into ions.
- D** It reacts with sodium carbonate to give off carbon dioxide.



- 20 Which products are formed when dilute hydrochloric acid reacts with the substances in the table?

	substance	products
<b>A</b>	iron	iron(II) chloride + hydrogen only
<b>B</b>	iron(II) carbonate	iron(II) chloride + carbon dioxide gas only
<b>C</b>	iron(II) oxide	iron(II) chloride + oxygen gas only
<b>D</b>	iron(II) sulphate	iron(II) chloride + sulphur dioxide only

- 21 Which pollutant increases the growth of algae in rivers and streams?

- A** chlorine
- B** heavy metal ions
- C** nitrate ions
- D** sulphur dioxide

- 22 When chlorine water is added to a colourless solution of **X**, a dark brown solution is obtained.

What is **X**?

- A**  $KCl$                       **B**  $KI$                       **C**  $NaBr$                       **D**  $NaF$

- 23 Many properties of an element and its compounds can be predicted from the position of the element in the Periodic Table.

What property could **not** be predicted in this way?

- A** the acidic or basic nature of its oxide
- B** the formula of its oxide
- C** the number of isotopes it has
- D** its metallic or non-metallic properties

- 24 The element with a proton number 12 has similar chemical properties to the element with the proton number

- A** 2.                      **B** 11.                      **C** 13.                      **D** 20.


- 25 What is the mass of aluminium in 204 g of aluminium oxide,  $Al_2O_3$ ?

- A** 26g                      **B** 27g                      **C** 54g                      **D** 108g

26 Which process does **not** result in the formation of **both** carbon dioxide and water?

- A addition of a dilute acid to a carbonate
- B burning ethanol
- C burning methane
- D heating crystals of hydrated sodium carbonate

27 Experiments are set up to investigate the sacrificial protection of iron.




In which test-tubes will the iron rust?

- A X only
  - B Y only
  - C X and Z only
  - D Y and Z only
- 28 One mole of compound **X** gives three moles of ions in aqueous solution. **X** reacts with ammonium carbonate to give an acidic gas.

What is compound **X**?

- A calcium hydroxide
- B ethanoic acid
- C sodium hydroxide
- D sulphuric acid

29 The diagrams show the reactions of three different metals with dilute hydrochloric acid.



What are metals **W**, **X** and **Y**?

	<b>W</b>	<b>X</b>	<b>Y</b>
<b>A</b>	copper	magnesium	zinc
<b>B</b>	copper	zinc	magnesium
<b>C</b>	magnesium	zinc	copper
<b>D</b>	zinc	magnesium	copper

30 Which statements about the pollutant carbon monoxide are correct?

- 1 It is a colourless, odourless gas.
- 2 It is formed by incomplete combustion of natural gas.
- 3 It reacts with haemoglobin in the blood.

- A** 1 and 2 only  
**B** 1 and 3 only  
**C** 2 and 3 only  
**D** 1, 2 and 3

31 Which gas is **not** produced when hydrocarbons are burnt in the internal combustion engine?


- A** carbon dioxide  
**B** carbon monoxide  
**C** hydrogen  
**D** nitrogen oxides

32 Cholesterol is an organic molecule that occurs in the blood stream.

What type of compound is cholesterol?

- A an acid
- B an alcohol
- C an alkane
- D an alkene


33 The diagrams show four hydrocarbons P, Q, R and S.



Which two hydrocarbons are isomers of each other?

- A P and Q
- B P and S
- C Q and R
- D Q and S

34 When ethanol reacts with ethanoic acid, the ester ethyl ethanoate is formed.




What is the formula of the ester formed when methanol reacts with butanoic acid ( $\text{C}_3\text{H}_7\text{CO}_2\text{H}$ )?

- A  $\text{C}_2\text{H}_5\text{CO}_2\text{C}_2\text{H}_5$
- B  $\text{C}_3\text{H}_7\text{CO}_2\text{C}_2\text{H}_5$
- C  $\text{CH}_3\text{CO}_2\text{C}_3\text{H}_7$
- D  $\text{C}_3\text{H}_7\text{CO}_2\text{CH}_3$

35 Which of these polymers is a protein?

- A  $(\text{C}_2\text{H}_3\text{Cl})_n$
- B  $(\text{C}_2\text{H}_3\text{NO})_n$
- C  $(\text{C}_5\text{H}_8\text{O}_2)_n$
- D  $(\text{C}_6\text{H}_{10}\text{O}_5)_n$

- 36 Which natural resource is being depleted by the manufacture of plastics?
- A air  
B fossil fuels  
C metal ores  
D water
- 37 Which statement is true about ethanol?
- A It is formed by the catalytic addition of steam to ethene.  
B It is an unsaturated compound.  
C It is formed by the oxidation of ethanoic acid.  
D It reacts with ethyl ethanoate to form an acid.
- 38 Which element is **least** likely to be found in a macromolecule?
- A carbon  
B hydrogen  
C oxygen  
D sodium
- 39 What is the catalyst used in the preparation of ethyl ethanoate from ethanol and ethanoic acid?
- A concentrated sulphuric acid  
B nickel  
C vanadium(V) oxide  
D yeast
- 40 A macromolecule is made from the two monomer molecules shown below.



What is the macromolecule?

- A a carbohydrate  
B a polyamide  
C a polyester  
D a protein





**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																																																																																																						
I	II	III	IV	V	VI	VII	0					0																																																																																												
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4	1 <b>H</b> Hydrogen 1	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10	23 <b>V</b> Vanadium 23	24 <b>Cr</b> Chromium 24	25 <b>Mn</b> Manganese 25	26 <b>Fe</b> Iron 26	27 <b>Co</b> Cobalt 27	28 <b>Ni</b> Nickel 28	29 <b>Cu</b> Copper 29	30 <b>Zn</b> Zinc 30	31 <b>Ga</b> Gallium 31	32 <b>Ge</b> Germanium 32	33 <b>As</b> Arsenic 33	34 <b>Se</b> Selenium 34	35 <b>Br</b> Bromine 35	36 <b>Kr</b> Krypton 36	37 <b>Rb</b> Rubidium 37	38 <b>Sr</b> Strontium 38	39 <b>Y</b> Yttrium 39	40 <b>Ca</b> Calcium 20	41 <b>Nb</b> Niobium 41	42 <b>Mo</b> Molybdenum 42	43 <b>Tc</b> Technetium 43	44 <b>Ru</b> Ruthenium 44	45 <b>Rh</b> Rhodium 45	46 <b>Pd</b> Palladium 46	47 <b>Ag</b> Silver 47	48 <b>Cd</b> Cadmium 48	49 <b>In</b> Indium 49	50 <b>Tl</b> Thallium 81	51 <b>Sb</b> Antimony 51	52 <b>Te</b> Tellurium 52	53 <b>I</b> Iodine 53	54 <b>Xe</b> Xenon 54	55 <b>Cs</b> Caesium 55	56 <b>Ba</b> Barium 56	57 <b>La</b> Lanthanum 57	58 <b>Ce</b> Cerium 58	59 <b>Pr</b> Praseodymium 59	60 <b>Nd</b> Neodymium 60	61 <b>Pm</b> Promethium 61	62 <b>Sm</b> Samarium 62	63 <b>Eu</b> Europium 63	64 <b>Gd</b> Gadolinium 64	65 <b>Tb</b> Terbium 65	66 <b>Dy</b> Dysprosium 66	67 <b>Ho</b> Holmium 67	68 <b>Er</b> Erbium 68	69 <b>Tm</b> Thulium 69	70 <b>Yb</b> Ytterbium 70	71 <b>Lu</b> Lutetium 71	72 <b>Hf</b> Hafnium 72	73 <b>Ta</b> Tantalum 73	74 <b>W</b> Tungsten 74	75 <b>Re</b> Rhenium 75	76 <b>Os</b> Osmium 76	77 <b>Ir</b> Iridium 77	78 <b>Pt</b> Platinum 78	79 <b>Au</b> Gold 79	80 <b>Hg</b> Mercury 80	81 <b>Tl</b> Thallium 81	82 <b>Pb</b> Lead 82	83 <b>Bi</b> Bismuth 83	84 <b>Po</b> Polonium 84	85 <b>At</b> Astatine 85	86 <b>Rn</b> Radon 86	87 <b>Fr</b> Francium 87	88 <b>Ra</b> Radium 88	89 <b>Ac</b> Actinium 89	90 <b>Th</b> Thorium 90	91 <b>Pa</b> Protactinium 91	92 <b>U</b> Uranium 92	93 <b>Np</b> Neptunium 93	94 <b>Pu</b> Plutonium 94	95 <b>Am</b> Americium 95	96 <b>Cm</b> Curium 96	97 <b>Bk</b> Berkelium 97	98 <b>Cf</b> Californium 98	99 <b>Es</b> Einsteinium 99	100 <b>Fm</b> Fermium 100	101 <b>Md</b> Mendelevium 101	102 <b>No</b> Nobelium 102	103 <b>Lr</b> Lawrencium 103	133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71

\*58-71 Lanthanoid series  
90-103 Actinoid series

Key  
 $\begin{matrix} a & X & b \\ \hline & & \end{matrix}$   
 a = relative atomic mass  
 X = atomic symbol  
 b = proton (atomic) number

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

