

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**4024 MATHEMATICS (SYLLABUS D)**

4024/11

Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.



CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	11

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working
art	anything rounding to
soi	seen or implied

1	(a)	$7.7, 7\frac{7}{10}$ , only	1	
	(b)	0.039 oe	1	
2	(a)	$\frac{16}{21}$ oe	1	
	(b)	$\frac{3}{4}$ oe	1	
3	(a)	$\frac{3}{5}$ cao	1	
	(b)	725	1	
4	(a)	5	1	
	(b)	16	1	
5	(a)		1	
	(b)		1	
6	(a)	40.5	1	
	(b)	12.15 ft $0.3 \times$ their (a)	1ft	
7	9		2	or <b>B1</b> for “ $k$ ” = 36 (oe), or for $4 \times 3^2 = y \times 2^2$ (oe)
8	10 from using 0.4, $7^2$ and 2		2	<b>M1</b> for 0.4 and (49 or 50), or for $\sqrt[3]{8.11} = 2$
9	(a)	$(x) > 4\frac{1}{2}$	1	Must be “ $x >$ ”
	(b)	-3, -2	1	
10	(a)	2	1	
	(b)	$\frac{1}{2}$ , or 0.5, only	1	

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	11

11	(a)	40	1	
	(b)	74	1	
	(c)	246 ft 360 – (their (a) + their (b))	1ft	
12	(a)	13x	1	
	(b)	$\frac{1}{12y}$	1	
	(c)	$12a^3b^4$	1	
13	(a)	$2a(8a - 3), 2a(-3 + 8a)$ , only	1	Not $2a(8a + -3)$
	(b)	$(3x - 4)(y + 2)$	2	Or <b>C1</b> for $(3x \pm 4)(y \pm 2)$ or <b>B1</b> for any factorisation of <b>any</b> two terms; e.g. $3x(2 + y), x(6 + 3y), -2(2y + 4)$
14	(a)	$1.8 \times 10^7$	1	
	(b)	$5 \times 10^{-4}$	2	or <b>C1</b> for figs 5
15	(a)	15.7	2	or <b>B1</b> for $\frac{100}{360} \times 2 \times \pi \times 9$ oe with “ $\pi$ ” as $\pi, 3.14, 3.142$ or $\frac{22}{7}$
	(b)	33.7 ft their (a) + 18	1ft	
16	(a)	$-\frac{1}{3}$	1	
	(b)	Correct region indicated by shading.	2	Or <b>C1</b> for region below $y = x + 3$ <b>and</b> above $3y + x = 3$ indicated by shading or by R.
17	(a)	$\begin{pmatrix} 3 & -2 & 1 \\ 0 & 6 & -6 \end{pmatrix}$	2	or <b>C1</b> for 4 or 5 correct elements
	(b)	(8 0 -2)	1	
18	Both $x = -6$ and $y = 7$		3	or <b>C2</b> for either or <b>C1</b> for a pair of values that fits either equation, provided that this pair has been obtained by the method of substitution, equal coeffs., or matrices/determinants and <b>not</b> by trial and error.
19	(a)	$\frac{4}{25}$ or 0.16	1	
	(b)	0	1	
	(c)	$\frac{12}{25}$ or 0.48	2	or <b>C1</b> for $\frac{6}{25}, \text{ or } \frac{8}{25}, \text{ or } \frac{10}{25}, \text{ or } \frac{16}{25}$ (or for 0.24, 0.32, 0.4, 0.64)
20	(a)	1 : 6	1	
	(b)	(i) (3, 2)	1	
		(ii) $k = -5$	2	or <b>B1</b> for $4 \times 5 + 6k$

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE O LEVEL – October/November 2010	4024	11

21	(a)	0.32	2	or <b>B1</b> for $\cos ABD = -0.53$ soi or <b>B1</b> for $\cos b = \frac{BC}{4}$ soi or <b>M1</b> for a valid method.
	(b)	2.12	2	
22	(a)	36, 52, 62, 70	1	
	(b)	$3 < t < 4$	1	
	(c)	10 4	1 1	
23	(a)	$8^2 - 6^2 = 4 \times 7$	1	
	(b)	$(n + 1)^2 - (n - 1)^2 (= 4n)$	1	
	(c)	2080 cao	1	
	(d)	Both $x = 122$ and $y = 120$	1	
24	(a)	Reflection $y = -\frac{1}{2}$	1 1	
	(b) (i)	$\Delta C$ has vertices $(-1, 0)$ , $(-2, 0)$ and $(-2, 2)$	1	
	(b) (ii)	$\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$	1	
25	(a)	$(-\frac{4}{5}, (-)0.8, \text{ only}$	1	
	(b)	[Rectangle = $4 \times 20$ ] + [triangle = $\frac{1}{2} \times 5 \times 4$ ]; or trapezium = $\frac{1}{2} \times 4(20 + 25)$ or $\frac{1}{2} \times 4 \times 45$	1	
	(c)	Straight line from $(0, 0)$ to $(20, 80)$ . Curve, concave downwards, from $(20, 80)$ to $(25, 90)$ .	1 1	
26	(a)	Both $\angle A = \angle C$ (given) and $\angle B$ is common or $\angle ABC = \angle DBC$ oe with no incorrect statements.	1	
	(b)	5 www	3	

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>GCE O LEVEL – October/November 2010</b>	<b>4024</b>	<b>11</b>

<b>27</b>	<b>(a)</b>	96° to 98° inclusive	1		
	<b>(b)</b>	<b>(i)</b>	Arc of circle, centre <i>C</i> , radius 8 cm		1
		<b>(ii)</b>	Bisector of angle <i>BAC</i>		1
	<b>(c)</b>	Correct region shaded	1		Dep. on reasonable attempts at loci in <b>(b)</b> .