www.igexanns.com

International General Certificate of Secondary Education CAMBRIDGE INTERNATIONAL EXAMINATIONS

CHEMISTRY

0620/1

PAPER 1 Multiple Choice

OCTOBER/NOVEMBER SESSION 2002

45 minutes

Additional materials:

Multiple Choice answer sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

TIME 45 minutes

INSTRUCTIONS TO CANDIDATES

Do not open this booklet until you are told to do so.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has already been done for you.

There are **forty** questions in this paper. Answer **all** questions. For each question, there are four possible answers, **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

Read very carefully the instructions on the answer sheet.

INFORMATION FOR CANDIDATES

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.


1 Heating a liquid causes it to become a vapour.

What happens to the molecules of the liquid during this process?

	the molecules become bigger	the molecules move further apart
Α	✓	✓
В	✓	×
С	×	✓
D	×	×


2 Some sugar is dissolved in water.

Which diagram shows how the particles are arranged in the solution?



- **3** Which stages occur in distillation?
 - **A** condensation then evaporation
 - **B** condensation then filtration
 - **C** evaporation then condensation
 - **D** filtration then evaporation


4 Some paraffin is contaminated with soot (carbon). The soot is removed as shown.



Which method is used to remove the soot?

- A cracking
- **B** crystallisation
- **C** diffusion
- **D** filtration

5 The diagrams show the nuclei of four different atoms.




Which two atoms are isotopes of each other?

- A Q and R
- B Q and T
- C R and S
- **D** S and T

6 Which atom has twice as many neutrons as protons?

- **A** ¹H
- $\mathbf{B} = {}^{2}\mathbf{H}$
- **C** ³⊢
- $D \frac{4}{2}He$

- 7 Which change takes place when an atom becomes a positive ion?
 - Α An electron is added.
 - В An electron is removed.
 - C A proton is added.
 - D A proton is removed.
- The diagram shows an electric circuit. 8



For which two substances at X and Y does the bulb light up?

	X	Y
Α	copper	graphite
В	copper	poly(ethene)
С	rubber	graphite
D	rubber	poly(ethene)

One method of producing carbon dioxide is to react calcium carbonate with dilute hydrochloric 9 acid.

What is the balanced chemical equation for the reaction?

B
$$CaCO_3$$
 + $2HCl \rightarrow CaCl_2 + CO_2 + H_2O_3$

$$\mathbf{C} \quad \mathsf{CaCO}_3 \quad + \; \mathsf{4HC}l \; \longrightarrow \; \mathsf{CaC}l_4 \; + \; \mathsf{CO}_2 \quad + \; \mathsf{H}_2 \; + \; \mathsf{H}_2\mathsf{O}$$


$$\mathbf{D} \quad \mathrm{Ca(HCO_3)_2} \ + \ \mathrm{HC}l \ \longrightarrow \ \mathrm{CaC}l \ + 2\mathrm{CO_2} \ + \ \mathrm{H_2O}$$

10 A gas has the molecular formula NOC*l*.

Which diagram could show molecules of the pure gas NOC1?

Α C D key 0 N O Cl 0 0 0

11 Butenedioic acid has the structure shown.




What is the molecular formula of butenedioic acid?

- CHO Α

[Turn over 0620/1/O/N/02


12 The diagram represents the electrolysis of brine (aqueous sodium chloride).



What are products **X** and **Y**?

	Х	Υ
Α	hydrogen	aqueous sodium hydroxide
В	hydrogen	hydrochloric acid
С	oxygen	aqueous sodium hydroxide
D	oxygen	hydrochloric acid


13 Copper wires in an electricity cable are covered in plastic.



Why is plastic used?

- A It is an insulator.
- **B** It is a polymer.
- C It is hard.
- **D** It melts easily.

14 A piece of magnesium is dropped into a test-tube containing dilute hydrochloric acid.




Why does the test-tube become warm?

- A Hydrogen is produced.
- **B** The magnesium neutralises the acid.
- **C** The reaction is endothermic.
- **D** The reaction is exothermic.
- **15** An explosion in a coal mine was caused by the ignition of a mixture of methane and air.

Why did the mixture explode?

- A The heat absorbed by burning decreased the rate of burning.
- **B** The heat absorbed by burning increased the rate of burning.
- **C** The heat liberated by burning decreased the rate of burning.
- **D** The heat liberated by burning increased the rate of burning.

16 The diagram shows an experiment to compare the speed of reaction when limestone chips are added to acid.



In which test-tube is the reaction most rapid?

17 Which properties does a transition element have?

	density	melting point
Α	high	high
В	high	low
С	low	high
D	low	low

18 Which metals can be obtained by heating their oxides with carbon?

	copper	iron	magnesium
Α	Х	✓	✓
В	✓	✓	×
С	X	×	✓
D	✓	×	×

19 Aqueous lead(II) nitrate is added to a solution containing iodide ions. Lead(II) iodide is formed.

Which type of reaction takes place?

- **A** neutralisation
- **B** oxidation
- **C** precipitation
- **D** reduction

20	Which element	reacts with	dilute	sulphuric	acid to	produce	hvdrogen?

- A carbon
- **B** chlorine
- C copper
- **D** zinc
- 21 For which pH change is there the largest increase in acidity?

	initial pH	final pH
Α	1	3
В	2	6
С	3	1
D	6	2

22 Which statement about the electrical conductivity of non-metals and the charge on their ions is correct?

	electrical conductivity	charge on ions
Α	good	positive
В	good	negative
С	poor	positive
D	poor	negative

23 The corrosion of iron and its extraction from hematite are important processes.

Which terms describe the corrosion of iron and its extraction from hematite?


	corrosion	extraction
Α	oxidation	oxidation
В	oxidation	reduction
С	reduction	oxidation
D	reduction	reduction

24	A few drops of aqueous bromine are added to separate aqueous solutions of potassium chloridations and approximately approximatel	oride,
	potassium bromide and potassium iodide.	

Which solutions do **not** remove the colour of the bromine?

- A KBr and KCl only
- **B** KBr and KI only
- **C** KCl and KI only
- **D** KBr, KC*l* and KI
- 25 Which metal produces a solution of a metal hydroxide when added to water?
 - A calcium
 - **B** copper
 - **C** iron
 - **D** zinc
- 26 A highly reactive metal is likely to
 - A form negative ions,
 - B occur naturally as an element,
 - **C** occur only as an oxide,
 - **D** oxidise rapidly in air.

27 The diagram shows the manufacture of steel.




What could gas X be?

- A carbon dioxide
- **B** chlorine
- C hydrogen
- **D** oxygen
- **28** A student writes the following statements.
 - 1 Aluminium is used in the manufacture of aircraft bodies.
 - 2 Aluminium is used to make stainless steel.
 - 3 Mild steel is used in the manufacture of car bodies.

Which statements are correct?

- A 1 and 2 only
- B 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 29 Which substance is used in the purification of water?
 - A calcium sulphate
 - **B** carbon dioxide
 - **C** chlorine
 - **D** sodium chloride

- 30 Which pollutant, found in car exhaust fumes, does not come from the fuel?
 - A carbon monoxide
 - **B** hydrocarbons
 - C lead compounds
 - D nitrogen oxides
- 31 Which place on the map is most likely to be producing large quantities of sulphur dioxide?




- 32 Why does a bicycle chain that is coated with oil **not** rust?
 - A Oil dissolves any rust that forms.
 - **B** Oil reacts with rust causing oxidation.
 - **C** Oil reacts with oxygen so no rust forms.
 - **D** Oil stops oxygen and water getting to the chain.
- 33 Which two other compounds should be added to ammonium sulphate to make a complete NPK fertiliser?
 - **A** KNO₃, Na₂HPO₄
 - $B K_2SO_4, KNO_3$
 - **C** NaCl, $Ca_3(PO_4)_2$
 - **D** NH₄C*l*, Na₂HPO₄

- 34 Two uses of oxygen are
 - 1 burning acetylene in welding,
 - 2 helping the breathing of hospital patients.

Which of these uses form carbon dioxide?

	use 1	use 2
Α	✓	✓
В	✓	×
С	Х	✓
D	X	×

35 Lime is used to treat an industrial waste.



Which pH change occurs in the treatment?


$$\begin{array}{cccc} & \underline{\text{untreated waste}} & \longrightarrow & \underline{\text{treated waste}} \\ \mathbf{A} & \text{acidic} & \longrightarrow & \text{neutral} \\ \mathbf{B} & \text{alkaline} & \longrightarrow & \text{acidic} \\ \mathbf{C} & \text{alkaline} & \longrightarrow & \text{neutral} \\ \mathbf{D} & \text{neutral} & \longrightarrow & \text{acidic} \\ \end{array}$$

36 A compound **Q** has the structure shown.

What is the name of **Q**?

- A heptane
- **B** heptanoic acid
- C heptanol
- **D** heptene

37 A student sets up the apparatus shown to separate petroleum into its different liquid parts.



Why does this method of separation work?

The liquids in petroleum have different

- A boiling points,
- B densities,
- **C** functional groups,
- **D** melting points.
- **38** Which row in the table correctly shows properties of decane?

	burns	is unsaturated
Α	✓	✓
В	✓	×
С	×	✓
D	×	×

D

Y and Z

39 The equation shows the cracking of a hydrocarbon.

Which compounds are unsaturated?

A X only B Y only C X and Z

40 A student states that

ethanol reacts with water to form beer and wine;

ethanol and water are used as solvents in industry.

Which of the underlined words are correct?

	reacts	solvents
Α	✓	✓
В	✓	×
С	Х	✓
D	X	×

The Derindic Table of the Flements **DATA SHEET**

						Ĕ	e Perio	dic Tabl	e Periodic Table of the Elements	Elemer	ıts						
=								5	d bo			≡	≥	>	>	=	0
	_						T Hydrogen					_	-	_	_		4 He Helium
Be Beryllium	lium lium					_		_				11 Boron 5	Carbon 6	Nitrogen 7	16 Oxygen	19 Fluorine	20 Ne on 10
Mg Magnesium	by Sium											27 A1 Aluminium	28 Si licon 14	31 Phosphorus	-	35.5 C1 Chlorine	40 Ar Argon
Calcium	3 Sc ium Scandium	48 Titanium 22	8	2 m	52 Cr Chromium 24	Mn Manganese	56 F A Iron	59 Cobalt	59 Nickel	64 Copper	65 Zinc 30	Gaallium 31	Germanium	75 AS Arsenic		80 Br Bromine	84 Krypton 36
Strontium	89 89 If	2 Zr n Zirconium 40	14	Niobium N	96 Mo Molybdenum 42	Tc Technetium	Ruthenium 44	Rhodium 45	106 Pd Palladium	108 Ag Silver 47	Cadmium 48	115 In Indium	Sn Tin	Sb Antimony 51	128 Te Tellurium	127 I lodine	Xenon Xenon Xenon
137 Ba Barium 56	.7 139 a La um Lanthanum 57	178 H um Hafnium		181 Ta Tantalum Tantalum Tantalum	184 W	Re Rhenium	190 OS Osmium 76	192 Ir Iridium	195 Pt Platinum 78	Au Gold 799	201 Hg Mercury	204 T L Thallium	207 Pb Lead 82	209 Bis Bismuth	Po Polonium 84	At Astatine	Radon 86
226 Ra Radium	6 227 a Actinium Actinium 89	+ E	_	-								-		_			
antha Actin	*58-71 Lanthanoid series †90-103 Actinoid series	(0	P. O. C.	Cerium Pra	Pr Pr seodymium	Neodymium	Pm Promethium	Samarium	152 Eu ropium	Gd Gadolinium	Terbium	Dysprosium	165 Ho Holmium	167 Er Erbium	169 Tm Thulium	Y b Ytterbium	Lutetium

	140	141	144		150	152	157	159	162	165	167	169
	Ce	ቯ	PZ	Pm	Sm	En	рg	P	Š	웃	ш	E
_	Cerium	Praseodymium	Neodymium	Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holminm	Erbium	Thulium
28		59	09	61	62	63	64	65	99	67	68	69
	232		238									
	ㅂ	Pa	-	Š	Pu	Αm	S	쓢	ర	Es	F	Md
_	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium
06		91	92	93	94	96	96	97	86	99	100	101

Lr Lawrencium

Nobelium

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

b = proton (atomic) number

Key

a = relative atomic mass X = atomic symbol

0620/1/O/N/02