UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/01

Paper 1 Multiple Choice

May/June 2004

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions.

For each question there are four possible answers **A**, **B**, **C**, and **D**. Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

Read the instructions on the answer sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

1 Some students are asked to describe differences between gases and liquids.

Three of their suggestions are:

1	gas molecules are further apart;
2	gas molecules are smaller;
3	liquid molecules vibrate around fixed positions.

Which suggestions are correct?

A 1 only


B 2 only

C 3 only

D 1, 2 and 3

2 A coloured liquid vaporises easily at room temperature. Some of the liquid is placed at the bottom of a sealed gas jar.

Which diagram shows the appearance of the jar after several hours?



3 Measurements are made on some pure water.

its boiling point, b.p.

its freezing point, f.p.

its pH

Sodium chloride is now dissolved in the water and the measurements repeated.

Which measured values change?

	b.p.	f.p.	рН
Α	✓	✓	✓
В	✓	✓	X
С	X	X	✓
D	X	X	X

4 The diagram shows a chromatogram obtained from three sweets, X, Y and Z.

	● red	● red
yellow	yellow	yellow
• red		● red
sweet X	sweet Y	sweet Z


How many different red dyes are present in the sweets?

- **A** 1
- **B** 2
- **C** 3
- **D** 4


5 Which properties does a Group VI element have?

	forms covalent bonds	forms ionic bonds	conducts electricity when solid
Α	✓	✓	✓
В	×	✓	✓
С	✓	✓	x
D	✓	X	x

6 The electronic structure of an element is shown.




Which diagram shows the electronic structure of another element in the same group in the Periodic Table?



7 In the diagrams, circles of different sizes represent atoms of different elements.

Which diagram can represent hydrogen chloride gas?



8 How many electrons are shared between the atoms in a molecule of methane, CH₄, and in a molecule of water, H₂O?

	methane	water
Α	4	2
В	4	4
С	8	2
D	8	4

9 The oxide Pb₃O₄ reacts with dilute nitric acid to form lead(II) nitrate, lead(IV) oxide and another product.

What is the equation for this reaction?

A
$$Pb_3O_4$$
 + $4HNO_3$ \rightarrow $2Pb(NO_3)_2$ + PbO_2 + $2H_2O$

B
$$Pb_3O_4 + 2HNO_3 \rightarrow 2PbNO_3 + PbO_4 + H_2$$

$$\mathbf{C}$$
 Pb₃O₄ + 4HNO₃ \rightarrow Pb(NO₃)₄ + 2PbO + 2H₂O

D
$$2Pb_3O_4 + 2HNO_3 \rightarrow 2Pb_2NO_3 + 2PbO_2 + H_2$$

10 The compound ethyl mercaptan, C₂H₅SH, has a very unpleasant smell.

What is its relative molecular mass?


- **A** 34
- **B** 50
- **C** 61
- **D** 62

11 The proton number of helium is 2.

What information does this give about helium?


- A Its atom has two electrons.
- **B** Its atom is twice as heavy as a hydrogen atom.
- **C** It is a Group II element.
- **D** Its molecule has two atoms.

12 In the circuit shown the bulb does not light.



Which change would cause the bulb to light?

- A add more solid copper(II) sulphate to the beaker
- **B** add water to dissolve the copper(II) sulphate
- C replace the carbon electrodes with copper electrodes
- **D** reverse the connections to the electrodes
- 13 The following electrolysis circuit is set up, using inert electrodes P, Q, R and S.



At which of the electrodes is a Group VII element produced?

- A Ponly
- **B** P and R
- C Q only
- **D** Q and S
- 14 When it is used as a fuel, hydrogen combines with substance X.

What is X?

- A carbon
- **B** methane
- C nitrogen
- **D** oxygen

15 The table compares the strengths of the bonds for reactions of the type below.

$$X_2 + Y_2 \rightarrow 2XY$$

Which reaction is most exothermic?

	bonds in X ₂	bonds in Y ₂	bonds in XY
Α	strong	strong	strong
В	strong	strong	weak
С	weak	weak	strong
D	weak	weak	weak

16 In an experiment, copper(II) oxide is changed to copper by a gas **X**.


What happens to the copper(II) oxide and what is **X**?

	copper(II) oxide	gas X
Α	oxidised	carbon dioxide
В	oxidised	carbon monoxide
С	reduced	carbon dioxide
D	reduced	carbon monoxide

17 In an experiment, a 2g lump of zinc and 2g of powdered zinc are added separately to equal volumes of dilute sulphuric acid.

The solid line on the graph shows the volume of gas given off when the 2g lump is used.

Which dotted line is obtained when the zinc is powdered?



- 18 Which process is endothermic?
 - A adding water to anhydrous copper(II) sulphate
 - **B** burning magnesium to make the oxide
 - C heating water to make steam
 - **D** neutralising acidic industrial waste
- 19 An aqueous solution contains either aluminium sulphate or zinc sulphate.

Which aqueous reagent can be used to confirm which salt is present?


- A ammonia
- B barium chloride
- C sodium hydroxide
- D sulphuric acid

20 Compound X

- · does not dissolve in water,
- · does not react with water,
- is used to control soil acidity.

What is X?


- A calcium carbonate
- B calcium chloride
- C calcium hydroxide
- **D** calcium oxide
- 21 Aqueous sodium hydroxide is added to two different solutions with the results shown.



Which cation is present in **X** and in **Y**?


	х	Y
Α	ammonium	iron(II)
В	copper(II)	ammonium
С	iron(II)	copper(II)
D	iron(II)	ammonium

22 The diagrams show the arrangement of electrons in three different atoms.



Which atoms are metals?

- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- 23 Which property do all metals have?
 - A They are hard.
 - **B** They conduct electricity.
 - C They form acidic oxides.
 - **D** They react with water.
- **24** The diagram shows a light bulb.



Why is argon used instead of air in the light bulb?

- **A** Argon is a good conductor of electricity.
- **B** Argon is more reactive than air.
- **C** The filament glows more brightly.
- **D** The filament lasts for a longer time.

25 Which element is likely to be a transition metal?

	melting point in °C	density in g/cm ³	colour of oxide
Α	98	1.0	white
В	328	11.3	yellow
С	651	1.7	white
D	1240	7.4	black

26 Three metals are extracted as shown in the table.

metal	method of extraction
Х	electrolyse molten metal oxide
Υ	heat metal oxide with carbon
Z	occurs naturally as the metal

What is the order of reactivity of the metals?

	most reactive -	•	least reactive
Α	Х	Υ	Z
В	Х	Z	Υ
С	Υ	Z	Х
D	Z	X	Υ

27 Haematite is reduced to iron in the blast furnace.

haematite + carbon monoxide → iron + X


What is X?

- A carbon
- B carbon dioxide
- C hydrogen
- **D** oxygen

28 Which object is least likely to contain aluminium?

- A a bicycle frame
- **B** a hammer
- C a saucepan
- **D** an aeroplane body

29 A sample of clean, dry air is passed over hot copper until **all** the oxygen in the air reacts with the copper.




The volume of air decreases by 30 cm³.

What was the starting volume of the sample of air?

- **A** 60 cm³
- **B** 100 cm³
- **C** 150 cm³
- **D** 300 cm³


30 The pH of some aqueous sodium hydroxide is measured. The solution is then distilled as shown.



How do the pH values of the distillate and of the solution left in the flask compare with the original?

	pH of the distillate	pH of the solution left in the flask
Α	higher	higher
В	higher	lower
С	lower	higher
D	lower	lower

- 31 Which two gases produced from the burning of petrol in motor vehicles contribute to the formation of acid rain?
 - A carbon dioxide and carbon monoxide
 - **B** carbon monoxide and sulphur dioxide
 - C carbon monoxide and nitrogen dioxide
 - **D** nitrogen dioxide and sulphur dioxide
- **32** An old railway carriage is being restored. Metal strips are secured on to the outside of the wooden carriage by means of screws. After a few weeks open to the wind and rain, the screws are heavily corroded but the metal strips are not.




Aluminium is more reactive than both steel and copper.

Which two metals would give this result?

	screws	strips
Α	aluminium	steel
В	copper	aluminium
С	copper	steel
D	steel	aluminium

33 The diagram shows how oxygen is used in welding.




What is gas X?

- A acetylene
- **B** argon
- C neon
- **D** nitrogen

34 The diagrams show the growth of four plants.

before treatment

after treatment



Which element is acting as a fertiliser?

- \mathbf{A} $\mathbf{C}l$
- **B** N
- C Na
- **D** S

35 Gas is released in all of the examples below.



Which gas do they all produce?

- A carbon dioxide
- **B** hydrogen
- C methane
- **D** oxygen
- **36** What is formed when calcium carbonate is heated?
 - A calcium and carbon
 - B calcium and carbon dioxide
 - C calcium oxide and carbon
 - D calcium oxide and carbon dioxide
- 37 Which compound contains three elements?
 - A ethanol
 - **B** ethene
 - **C** methane
 - **D** poly(ethene)

38 Four fractions obtained from crude oil (petroleum) are listed below.

Which fraction is paired with a correct use?

	fraction	use
Α	bitumen	making waxes
В	diesel	fuel for aircraft
С	lubricating	making roads
D	paraffin	fuel for oil stoves

39 The structures of three compounds are shown.

Why do these substances all belong to the same homologous series?

- A They all contain an even number of carbon atoms.
- **B** They all contain the same functional group.
- **C** They are all hydrocarbons.
- **D** They are all saturated.
- **40** The table shows some suggested reactions involving ethanol.

Which suggestions about the reactants and products are correct?

reaction	reactants	products
Α	ethanol and oxygen	carbon dioxide and water
В	ethene and steam	ethanol and hydrogen
С	glucose and oxygen	ethanol and carbon dioxide
D	glucose and water	ethanol and oxygen

The Periodic Table of the Elements DATA SHEET

							5				2						
_	=								dnoo			≡	≥	>	5	■ 	0
							Hydrogen										He Heium
7 Lithium	Be Berylium 4											11 Boron 5	12 Carbon 6	14 N Nitrogen 7	16 Oxygen	19 Fluorine	20 Neon 10
23 Na Sodium	24 Mg Magnesium 12											27 A1 Aluminium	28 Si Silicon	31 P Phosphorus 15	32 S Sulphur	35.5 C1 Chlorine	40 Ar Argon
39 K Potassium	40 Ca n Calcium	Scandium	48 T Ttanium 22	51 V Vanadium 23	Chromium 24	Mn Manganese	56 Fe Iron	59 Co Cobalt	59 X Nickel	64 Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium	AS Asenic	79 Se Selenium 34	80 Br Bromine	84 Kr Krypton 36
Rb Rubidium	Strontium 38	89 ×	91 Zr Zrconium 40	Nobium A1	96 Mo Molybdenum 42	Tc Technetium 43	Ruthenium	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium	119 Sn Tin		128 Te Tellurium	127 I lodine 53	X Xe Xenon
133 Cs Caesium 55	137 Ba Barium 56	La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 T.1 Thallium 81	207 Pb Lead	209 Bi Bismuth	Po Polonium 84	At Astatine 85	Radon 86
Francium 87	226 Ra Radium 88	227 Ac Actinium 89															
*58-71 90-103	*58-71 Lanthanoid series 90-103 Actinoid series	id series series	1	140 Cer ium	141 Pr	144 Nd Neodymium	Pm Promethium	Samarium	152 Eu Europium	157 Gd Gadolinium	159 Tb	162 Dy Dysprosium	165 Ho Holmium	167 Er Erbium	169 Tm	Yb Yterbium	175 Lu Lutetium

	165 167			Es Fm	nium Einsteinium Fermium Mendelevium 99 100 101
	159 T.	m Terbium Dysprosium	3	Ř	.6
		Europium Gadolinium		Am	Americium Curium 95
		Promethium Samarium 62		Np	Neptunium Plutonium 93 94
		Neodymium 60	238	_	92
	141	Praseodymium	3	Pa	Protactinium 91
	140	Cerium Ce	232	Th	Thorium 90
68	noid series	l series	a = relative atomic mass	X = atomic symbol	b = proton (atomic) number

Key

The volume of one mole of any gas is $24\ dm^3$ at room temperature and pressure (r.t.p.).