



COMPUTER SCIENCE

0478/23

Paper 2

May/June 2018

MARK SCHEME

Maximum Mark: 50

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

IGCSE™ is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **8** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Question	Answer	Marks
Section A		
1(a)(i)	<p>One mark for any meaningful array name related to Task 1 × 2 e.g.</p> <p>Tickets EntryTime</p> <p>One mark for correct data type AND use related to Task 1 × 2 e.g.</p> <p>... integer to store the ticket numbers ... real to store the entry times</p>	4
1(a)(ii)	<p>One mark for any meaningful name for a constant AND value related to Task 3 × 2 e.g.</p> <p>MaxTime 8 MaxFine 100</p> <p>One mark for correct use related to Task 3 × 2 e.g.</p> <p>...to store the maximum number of hours allowed in the car park ...to store the current value of the fine for staying too long (in \$)</p>	4

Question	Answer	Marks
1(b)	<p>Any six from:</p> <ul style="list-style-type: none"> • Initialisation of ticket numbers and arrays • Loop for day's transactions • Check for entry • Output of free spaces before entry • Suitable input prompts to select on entry • Relevant Inputs (to get ticket and to input time) • Recording of entry time and ticket number in arrays • Generate next ticket number • Update and display number of car park spaces available after entry <pre> Ticket_Number ← 1 //This number would not reset each day Ticket_Array[1:100] Entry_Time[1:100] Spaces ← 100 Count ← 1 //This number would reset each day WHILE Count > 1 DO OUTPUT "Available Spaces" Spaces INPUT "Press enter to get ticket", Entry OUTPUT "Next Ticket Number", Ticket_Number INPUT "Current time", Current_Time Ticket_Array[Count] ← Ticket_Number Entry_Time[Count] ← Current_Time Ticket_Number ← Ticket_Number + 1 Spaces ← Spaces - 1 Count ← Count + 1 ENDWHILE </pre>	6
1(c)	<p>Any four from:</p> <ul style="list-style-type: none"> • Explanation of how the checking of the length of stay was done • Correct comparison to check length of stay against maximum • Explanation of how the extra charge is calculated • Correct calculation to work out the regular parking charge • Explanation of suitable output to show parking charge and extra charge if appropriate 	4
1(d)	<p>One mark for each correct test data item and related reason for Task 1 (Answers MUST relate to pre-release task) e.g.</p> <p>Test data: -102 Reason: To check that negative values for ticket numbers are rejected</p> <p>Test data: 85 Reason: To check that normal ticket number data is accepted</p>	2

Question	Answer	Marks
Section B		
2(a)	<p>One mark for description one mark for example e.g.</p> <p>To test if the data entered is possible / reasonable A range check tests that data entered fits within specified values.</p> <p>Allow any correct validation check as an example</p>	2
2(b)	<p>One mark for description one mark for example e.g.</p> <p>To test if the data input is the same as the data that was intended to be input A double entry check expects each item of data to be entered twice and compares both entries to check they are the same.</p> <p>Allow any correct verification check as an example</p>	2
Question	Answer	Marks
3	<p>One mark for each correct answer</p> <pre> Counter = 0 FOR Count = 1 TO 30 Total = Total + Number NEXT Count </pre>	4

Question	Answer	Marks
4(a)	Any two from: <ul style="list-style-type: none"> • Expects a number to be input • Checks if the number is greater than 100 • Outputs the result of the test • Specific output example 	2
4(b)(i)	One mark for correct answer e.g. Use a (condition controlled) loop	1
4(b)(ii)	One mark for each point <ul style="list-style-type: none"> • Initialisation of Number variable • Correct loop statements • Correct INPUT and OUTPUT e.g. <pre> INPUT Number WHILE Number > 100 DO OUTPUT "The number is too large" INPUT Number ENDWHILE OUTPUT "The number is acceptable" </pre> or <pre> INPUT Number REPEAT IF Number > 100 THEN OUTPUT "The number is too large" ENDF INPUT Number UNTIL Number <= 100 OUTPUT "The number is acceptable" </pre>	3

Question	Answer	Marks																																																				
5(a)	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th style="width: 25%;">Max</th> <th style="width: 25%;">Counter</th> <th style="width: 25%;">Num</th> <th style="width: 25%;">OUTPUT</th> </tr> </thead> <tbody> <tr><td>-1000.00</td><td>0</td><td>6.30</td><td></td></tr> <tr><td>6.30</td><td>1</td><td>18.62</td><td></td></tr> <tr><td>18.62</td><td>2</td><td>50.01</td><td></td></tr> <tr><td>50.01</td><td>3</td><td>3.13</td><td></td></tr> <tr><td>50.01</td><td>4</td><td>2.05</td><td></td></tr> <tr><td>50.01</td><td>5</td><td>50.10</td><td></td></tr> <tr><td>50.10</td><td>6</td><td>40.35</td><td></td></tr> <tr><td>50.10</td><td>7</td><td>30.69</td><td></td></tr> <tr><td>50.10</td><td>8</td><td>0.85</td><td></td></tr> <tr><td>50.10</td><td>9</td><td>17.30</td><td></td></tr> <tr><td>50.10</td><td>10</td><td></td><td>50.10</td></tr> <tr><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p style="text-align: center;">← 1 mark → ← 1 mark → ← 1 mark →</p>	Max	Counter	Num	OUTPUT	-1000.00	0	6.30		6.30	1	18.62		18.62	2	50.01		50.01	3	3.13		50.01	4	2.05		50.01	5	50.10		50.10	6	40.35		50.10	7	30.69		50.10	8	0.85		50.10	9	17.30		50.10	10		50.10					3
Max	Counter	Num	OUTPUT																																																			
-1000.00	0	6.30																																																				
6.30	1	18.62																																																				
18.62	2	50.01																																																				
50.01	3	3.13																																																				
50.01	4	2.05																																																				
50.01	5	50.10																																																				
50.10	6	40.35																																																				
50.10	7	30.69																																																				
50.10	8	0.85																																																				
50.10	9	17.30																																																				
50.10	10		50.10																																																			
5(b)	<p>One mark for each correct change (max two)</p> <p>Box 2 Change the initialization value of the current 'Max' variable to a very high number</p> <p>Box 4 Change the inequality from > to <</p> <p>Boxes 2, 4, 5, 8 Change the Max variable to something more suitable e.g. Min</p>	2																																																				
Question	Answer	Marks																																																				
6(a)	<p>One mark for correct answer</p> <p>20</p>	1																																																				
6(b)(i)	<p>One mark for correct answer</p> <p>CatNo</p>	1																																																				
6(b)(ii)	<p>One mark for correct answer</p> <p>It is a unique identifier</p>	1																																																				

Question	Answer	Marks																																				
6(c)	<p>One mark for every two correct data types</p> <table border="1" data-bbox="379 315 1252 701"> <thead> <tr> <th data-bbox="379 315 587 389">Field</th> <th data-bbox="587 315 1252 389">Data Type</th> </tr> </thead> <tbody> <tr> <td data-bbox="379 389 587 465">CatNo</td> <td data-bbox="587 389 1252 465">Text</td> </tr> <tr> <td data-bbox="379 465 587 542">Title</td> <td data-bbox="587 465 1252 542">Text</td> </tr> <tr> <td data-bbox="379 542 587 618">Genre 1</td> <td data-bbox="587 542 1252 618">Text</td> </tr> <tr> <td data-bbox="379 618 587 701">Stream</td> <td data-bbox="587 618 1252 701">Boolean / Text</td> </tr> </tbody> </table>	Field	Data Type	CatNo	Text	Title	Text	Genre 1	Text	Stream	Boolean / Text	2																										
Field	Data Type																																					
CatNo	Text																																					
Title	Text																																					
Genre 1	Text																																					
Stream	Boolean / Text																																					
6(d)	<p>One mark for each correct row</p> <p style="text-align: center;">18m02 Golfwatch Yes No Yes 18m03 Chair 27 Yes Yes No</p> <p>Accept if drawn in a table, but don't allow any punctuation</p>	2																																				
6(e)	<table border="1" data-bbox="448 999 1305 1458"> <tbody> <tr> <td data-bbox="448 999 619 1072">Field:</td> <td data-bbox="619 999 790 1072">CatNo</td> <td data-bbox="790 999 960 1072">Title</td> <td data-bbox="960 999 1131 1072">Genre 1</td> <td data-bbox="1131 999 1302 1072">Genre 2</td> <td data-bbox="1302 999 1473 1072">Stream</td> </tr> <tr> <td data-bbox="448 1072 619 1149">Table:</td> <td data-bbox="619 1072 790 1149">2018MOV</td> <td data-bbox="790 1072 960 1149">2018MOV</td> <td data-bbox="960 1072 1131 1149">2018MOV</td> <td data-bbox="1131 1072 1302 1149">2018MOV</td> <td data-bbox="1302 1072 1473 1149">2018MOV</td> </tr> <tr> <td data-bbox="448 1149 619 1225">Sort:</td> <td colspan="2" data-bbox="619 1149 960 1225">Ascending</td> <td data-bbox="960 1149 1131 1225"></td> <td data-bbox="1131 1149 1302 1225"></td> <td data-bbox="1302 1149 1473 1225"></td> </tr> <tr> <td data-bbox="448 1225 619 1301">Show:</td> <td data-bbox="619 1225 790 1301" style="text-align: center;"><input checked="" type="checkbox"/></td> <td data-bbox="790 1225 960 1301" style="text-align: center;"><input checked="" type="checkbox"/></td> <td data-bbox="960 1225 1131 1301" style="text-align: center;"><input type="checkbox"/></td> <td data-bbox="1131 1225 1302 1301" style="text-align: center;"><input type="checkbox"/></td> <td data-bbox="1302 1225 1473 1301" style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td data-bbox="448 1301 619 1377">Criteria:</td> <td colspan="2" data-bbox="619 1301 960 1377"></td> <td data-bbox="960 1301 1131 1377">="Sci-Fi"</td> <td data-bbox="1131 1301 1302 1377"></td> <td data-bbox="1302 1301 1473 1377">Yes</td> </tr> <tr> <td data-bbox="448 1377 619 1458">or:</td> <td colspan="2" data-bbox="619 1377 960 1458"></td> <td data-bbox="960 1377 1131 1458"></td> <td data-bbox="1131 1377 1302 1458">="Sci-Fi"</td> <td data-bbox="1302 1377 1473 1458">Yes</td> </tr> </tbody> </table> <p style="text-align: center;">← 1 mark → ← 1 mark → ← 1 mark → ← 1 mark →</p> <p>One mark per completely correct column / group of columns as shown.</p>	Field:	CatNo	Title	Genre 1	Genre 2	Stream	Table:	2018MOV	2018MOV	2018MOV	2018MOV	2018MOV	Sort:	Ascending					Show:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Criteria:			="Sci-Fi"		Yes	or:				="Sci-Fi"	Yes	4
Field:	CatNo	Title	Genre 1	Genre 2	Stream																																	
Table:	2018MOV	2018MOV	2018MOV	2018MOV	2018MOV																																	
Sort:	Ascending																																					
Show:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																	
Criteria:			="Sci-Fi"		Yes																																	
or:				="Sci-Fi"	Yes																																	