

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

MARK SCHEME for the October/November 2006 question paper

0625 PHYSICS

0625/06 Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE - OCT/NOV 2006	0625	06

- 1 (a) 4.1 (cm) [1]
- (b) (i) 4.9 (cm) [1]
both in correct unit [1]
- (ii) 7.83(4) (ecf) [1]
 cm^3 [1]
- (c) (i) 7/7.0/7.1/7.2/7.3/7.4/7.5 [1]
(ecf: less than V by up to 10% with equivalent sf)
- (ii) correct d value (0.84 – 0.90, no ecf) [1]
1/2/3 sf and g/cm^3 [1]
- [Total: 8]**
- 2 (a) cm; s; s [1]
- (b) 1.835; 1.787; 1.753; 1.706; 1.672 (accept 3 sf) [1]
consistent sf (3/4) [1]
- (c) Axes suitable (plots occupy at least $\frac{1}{2}$ grid) [1]
and labelled, false origin as instructed [1]
Plots correct to $\frac{1}{2}$ small sq (–1 each error) [2]
Well judged best fit line [1]
line suitably thin [1]
- (d) No and not a straight line through the origin [1]
- (e) greater accuracy (wtte) [1]
- [Total: 10]**
- 3 (a) (i) normal correct (by eye) (single, thin line) [1]
- (ii) $AG = 11.5 \text{ cm} (\pm 0.1)$ [1]
- (iii) $i = 26^\circ/27^\circ/28^\circ$ (ignore unit) [1]
- (b) (i) CD pin separation $\geq 5 \text{ cm}$ [1]
- (ii) bases [1]
pins may not be vertical [1]
- [Total: 6]**

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE - OCT/NOV 2006	0625	06

4	(a)	28°C value unit	[1] [1]
	(b)	B smaller temp drop (OR neither, insignificant difference)	[1] [1]
	(c)	any suitable insulator	[1]
	(d)	Any 3 from initial temp volume of water size/shape of beaker room temp/draughts/simultaneous timings material of beaker beakers on same surface	[3]
			[Total: 8]
5	(a)	correct symbols for ammeter and voltmeter correct symbols for variable resistor, lamp and resistor circuit correct	[1] [1] [1]
	(b)	ammeter will show current/voltmeter shows reading	[1]
	(c)	variable resistor	[1]
	(d)	(i) low current/increase R of variable resistor/ lower voltage/add another lamp	[1]
		(ii) switch off between readings	[1]
	(e)	A, more resistance in circuit	[1]
			[Total: 8]