Location Entry Codes



As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

Question Paper

Introduction First variant Question Paper Second variant Question Paper

Mark Scheme

Introduction
First variant Mark Scheme
Second variant Mark Scheme

Principal Examiner's Report

Introduction	
First variant Principal Examiner's Report	
Second variant Principal Examiner's Report	

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0625 PHYSICS

0625/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2008	0625	31

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be

scored.

C marks are compensatory method marks which can be scored even if the points to which they

refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which

shows he knew the equation, then the C mark is scored.

A marks are accuracy or answer marks which either depend on an M mark, or which are one of

the ways which allow a C mark to be scored.

c.a.o. means "correct answer only".

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier

mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more

than once for a particular mistake, but only applies to marks annotated "e.c.f."

e.e.o.o. means "each error or omission".

brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in

brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

<u>underlining</u> indicates that this <u>must</u> be seen in the answer offered, or something very similar.

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Spelling Be generous about spelling and use of English. If an answer can be understood to

mean what we want, give credit.

Significant Answers are acceptable to any number of significant figures ≥ 2, except if

figures specified otherwise, or if only 1 sig. fig. is appropriate.

Units It is expected that all final answers will have correct units. Deduct one unit penalty for

each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is

missing from final answer but is shown correctly in the working.

Fractions These are only acceptable where specified.

Extras Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct

response or are forbidden by mark scheme, use right + wrong = 0

Ignore Indicates that something which is not correct is disregarded and does not cause a right

plus wrong penalty.

Not/NOT Indicates that an incorrect answer is not to be disregarded, but cancels another

otherwise correct alternative offered by the candidate i.e. right plus wrong penalty

applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

	Pa	ge 3			Mark Scl	heme		Syllabus		Paper
		J				November 20	800	0625		31
1	(a)	(i)	Force OR re	ention of force to left > force t sultant force	o right	t ignore ma)	ny 1	C1 A1	
		(ii)	OR we	nbalanced force eight > friction rcome/comper		friction/resista)) ance		B1	
	(b)	2/2.5 0.8 k		etc. or F/a or F	= ma				C1 A1	
	(c)	0.7/0 0.87		e.c.f. from (b) e.c.f. from (b	•	d be scored o	on table (no	o unit needed)	B1 B1	
	(d)	(i)	v = at 0.6 m/	or 0.5×1.2					C1 A1	
		(ii)	-	elocity × time o	•	time 72 m gets C1	, A0)		C1 A1	[11]
2	(a)			chosen with rasses in correct					M1 A1	
	(b)	disc does not rotate/is balanced/in equilibrium/no movement NOT spin the disc NOT anything to do with calculating moments NOT when disturbed, returns to original position				B1				
	(c)	acce		one mass corre s × distance ca ers	, 0	e units)			B1 B1	
	(d)			tion of masses. orrectly conver	_	including 20	Og		B1 B1	[7]
3	(a)	(i)	_	70 × 1050 × 1 00 Pa or 7.35 ×		accept N/m	² for Pa		C1 A1	
		(ii)	8.35 ×	: 10 ⁵ Pa OR his	(a)(i) + ´	1.0 × 10 ⁵ a	ccept N/m ²	² for Pa	B1	
	(b)		sure × a 5 × 10 ⁶	area or P = F/A N	or 6.5 \times	$10^5\times2.5$			C1 A1	
	(c)			nsity is less e salt water is c		ew calculation	n of pressu	ıre	B1	[6]

	Page 4		Mark Scheme	Syllabus		Paper
			IGCSE – October/November 2008	0625		31
4	(a)	typical	random path drawn, at least 3 abrupt changes of direc	etion	B1	
	(b)	just as	ecules hit dust particles in all directions/move it in all d likely to be up as down marks scored on diagram)		B1 B1	
	(c)	random movements smaller OR slower movement OR less energy OR movement decreases			В1	[4]
5	(a)		unnel no longer giving heat to ice OR ice at M.P./const OR heater reached max temp		B1	
			nside of large pieces could be well below freezing point OR smaller air gaps if pieces smaller OR better contact between heater and ice OR to ensure heat from heater only goes to the ice OR larger surface area gnore ice melts faster		B1	
	(b)	mass o	of beaker NOT mass of ice NOT mass of water of beaker + water √ + × = 0 for extras other than power & time)		B1 B1	
	(c)	m <i>l</i> in a Wt or F	of ice melted by heater = 16.3 – 2.1) = 14.2 g ny form, words, symbols or numbers Pt in any form, words, symbols or numbers accept VIt g OR 338 000 J/kg c.a.o		C1 C1 C1 A1	[8]
6	(a)	light of	one colour/frequency/wavelength		В1	
	(b)		r/sini OR n = sini/sinr in any form n30 = 1.49 OR sinr = 1.49 × sin30 - 48.2°		C1 C1 A1	
	(c)		angle >30° and <60° to normal, by eye, correct way any angles or labelling	NO e.c.f.	B1	
	(d)		s/spectrum would appear OR range of angles (ignore "repersion OR ray splits up	,	В1	
	(e)	90° app	prox (accept any value 80° to 90°)		B1	

В1

[8]

(totally internally) reflected OR T.I.R. ignore not refracted

(f)

First variant Mark Scheme

	Page 5		Mark Scheme	Syllabus	Paper
			IGCSE – October/November 2008	0625	31
7	(a)	same w (ignore	tempt at arcs of circles, at least 3 vavelength as incoming waves, by eye shape ignore distance to first wave) of curvature of arcs at centre of gap, by eye	B B B	1
	(b)	speed/v 8 Hz or	wavelength or 20/2.5 or $v = f\lambda$ 8 s ⁻¹ or 8 waves/second	C A	
	(c)	his (b) (or "the same"	В	1 [6]
8	(a)		s a.c. to d.c. OR rectifies a/c OR allows currer vents current flowing backward	nt to flow one way only B	1
	(b)		2×12 or $2\times12\times60\times60$ or amps \times seconds r 86 400 C or 86 000 C	C A	
	(c)	OR W/A	/C OR energy converted/work done per unit cl A OR volts/p.d. when no current in circuit energy are delivered/needed for every coulom	C	1
			W is the power to drive a current of 1 Å	А	1
	(d)	(i) se	eries connection shown, any recognisable sym	nbols B	1
		` '	otal power = 16 W OR 8/6 .33 A accept fraction c.a.o.	C A	
	(ny power \times any time or $16 \times 60 \times 60$ or IVt or 87 600 J or 0.016 kWh or 28 800 J or 0.008 kWh		
9	(a)	or heat or charg	vater to higher level storage) water) any one ge accumulators/batteries) charge capacitor NOT generator	В	1
	(b)		energy/power/heat loss OR to reduce current allow thinner cables OR more efficient NOTH		1
	(c)	I^2R		В	1
	(d)		0 = 32000/1100 OR N ₁ /N ₂ = V ₁ /V ₂ in any arrang or 34 900 or 34 909 or 34 910 or 35 000	gement C A	
	(e)		ower = output power or $V_1I_1 = V_2I_2$ = power/voltage in any form, words, symbols	or numbers C A	1

First variant Mark Scheme

	Pa	ge 6		Mark Scheme		Syllabus		Paper
				IGCSE – October/Novembe	r 2008	0625		31
10	(a)	(i)	LC	R correctly identified			B1	
		(ii)	lar	mp correctly identified			B1	
		(iii)	tra	nsistor correctly identified			B1	
	(b)	resist LDR	and get	anything that is in terms of currents) ce of LDR becomes high s larger share of the voltage OR volta r switches/turns lamp on	age across LD	R gets bigger	M1 A1 A1	[6]
11	(a)	A B C D 4 cor	Y X sc	thode OR electron gun plates OR vertical deflection plates plates OR horizontal deflection plates reen OR fluorescent/phosphor OR tu t B2, 3 or 2 correct B1		s	B2	
	(b)	A; idea of releasing electrons/thermionic emission B; move the electron beam vertically		B1 B1				
	(c)	(i)	y-ŗ	plates/y-input or B NO e.c.f.			B1	
		(ii)	x-p	plates/x-input or C NO e.c.f.			B1	[6]

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2008 question paper

0625 PHYSICS

0625/32

Paper 32 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2008	0625	32

NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.

M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers must be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be

scored.

C marks are compensatory method marks which can be scored even if the points to which they

refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.

are accuracy or answer marks which either depend on an M mark, or which are one of A marks

the ways which allow a C mark to be scored.

means "correct answer only". c.a.o.

e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he

may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more

than once for a particular mistake, but only applies to marks annotated "e.c.f."

means "each error or omission". e.e.o.o.

around words or units in the mark scheme are intended to indicate wording used to brackets () clarify the mark scheme, but the marks do not depend on seeing the words or units in

brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

underlining indicates that this must be seen in the answer offered, or something very similar.

OR/or indicates alternative answers, any one of which is satisfactory for scoring the marks.

Spelling Be generous about spelling and use of English. If an answer can be understood to

mean what we want, give credit.

Significant Answers are acceptable to any number of significant figures ≥ 2, except if

specified otherwise, or if only 1 sig. fig. is appropriate. figures

Units It is expected that all final answers will have correct units. Deduct one unit penalty for

each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is

missing from final answer but is shown correctly in the working.

Fractions These are only acceptable where specified.

Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct **Extras**

response or are forbidden by mark scheme, use right + wrong = 0

Indicates that something which is not correct is disregarded and does not cause a right Ignore

plus wrong penalty.

Not/NOT Indicates that an incorrect answer is not to be disregarded, but cancels another

otherwise correct alternative offered by the candidate i.e. right plus wrong penalty

applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2008	0625	32

1	(a)	idea of accelerating force/force down slope = friction force	
		OR no resultant force/forces balanced	B1
		(accept energy argument if Physics correct)	

- (b) (i) idea of accelerating force/force down slope > friction force
 OR forces unbalanced
 (accept energy argument if Physics correct)
 - (ii) $F = ma NOT f \alpha a$ B1
 - $\begin{array}{ccc} \textbf{(iii)} & 12 \times 2 & & \textbf{C1} \\ & 24 \textbf{N} & & \textbf{A1} \end{array}$
- (c) (i) resultant force = 38N OR his (b)(iii) + 14

 38/12 OR (his (b)(iii) + 14)/12

 3.166 m/s² or 3.17 m/s² or 3.2 m/s² NOT 3.16 e.c.f.

 A1
 - (ii) $v = at \text{ or } 3.2 \times 2.5 \text{ e.c.f.}$ C1 7.8 - 8.0 m/s e.c.f. A1
- (d) idea of acceleration B1 [11]
- 2 (a) two masses chosen with ratio 2:1 or 3:1 or 3:2

 Chosen masses in correct holes to balance

 M1
 - (b) disc does not rotate/is balanced/in equilibrium/no movement

 NOT spin the disc NOT anything to do with calculating moments

 NOT when disturbed, returns to original position
 - (c) moment of one mass correct (ignore units)
 accept mass × distance calculated
 equal answers

 B1
 - (d) correct addition of masses/weights, including 200 g
 any mass correctly converted to N

 B1
 [7]
- 3 (a) (i) hdg or $70 \times 1050 \times 10$ C1 $735\ 000\ Pa$ or $7.35 \times 10^5\ Pa$ accept N/m² for Pa A1
 - (ii) $8.35 \times 10^5 \, \text{Pa OR his}$ (a)(i) + 1.0×10^5 accept N/m² for Pa B1
 - (b) pressure × area or P = F/A or $6.5 \times 10^5 \times 2.5$ C1 1.625×10^6 N
 - (c) because density is less accept new calculation of pressure
 OR because salt water is denser

 B1 [6]

	Page 4	Mark Scheme	Syllabus	Paper
		IGCSE – October/November 2008	0625	32
4	(a) typ	rection B	1	

B1 (b) air molecules hit dust particles in all directions/move it in all directions just as likely to be up as down B1 (allow marks scored on diagram) (c) random movements smaller OR slower movement **B1** [4] OR less energy OR movement decreases 5 (a) (i) funnel no longer giving heat to ice OR ice at M.P./constant temp OR heater reached max temp **B1** (ii) inside of large pieces could be well below freezing point) **B1** OR smaller air gaps if pieces smaller) any 1 OR better contact between heater and ice OR to ensure heat from heater only goes to the ice OR larger surface area Ignore ice melts faster (b) mass of beaker NOT mass of ice NOT mass of water **B1** mass of beaker + water **B1** (apply $\checkmark + x = 0$ for extras other than power & time) C1 (c) (i) Pt/Wt in any form, words, symbols or numbers mcθ in any form, words, symbols or numbers C1 4.88 or 4.9 J/(gK) or J/(g°C) or J/(gdegC) condone no brackets **A1** Or 4880 or 4900 J/(kgK) etc. accept double solidus in unit В1 (ii) heat lost/gained OR impurities in water [8] (a) (i) **B1** 6 light of one colour/frequency/wavelength (ii) $n = \sin r / \sin i$ OR $n = \sin i / \sin r$ in any form C1 $1.33 = \sin r / \sin 40 \text{ OR } \sin r = 1.33 \times \sin 40$ C1 Any value between 58.68° – 60° inclusive Α1 (iii) ray correct, by eye, bent away from normal ignore any arrows or labelling NO ecf **B1** reflected (at B) or T.I.R. NOT deflects/refracts M1 (b) (i) angle of incidence bigger than critical angle or 50° is bigger than 48.8°/C.A. Α1 (ii) ray correct, by eye, with no refracted part ignore any arrows В1 [8]

	Page 5		Mark Scheme	Syllabus	Paper
			IGCSE – October/November 2008	0625	32
7	(a)	same w	rempt at arcs of circles, at least 3 avelength as incoming waves, by eye shape ignore distance to first wave) of curvature of arcs at centre of gap, by eye	B: B:	1
	(b)		vavelength or 20/2.5 or $v = fλ$ 8 s ⁻¹ or 8 waves/second	C A	
	(c)	his (b) c	or "the same"	В	1 [6]
8	(a)		s a.c. to d.c. OR rectifies a/c OR allows current to vents current flowing backward	flow one way only B	1
	(b)		2×12 or $2 \times 12 \times 60 \times 60$ or amps \times seconds \times 86 400 C or 86 000 C	C A	
	(c)	OR W/A 12 J of e	C OR energy converted/work done per unit charg OR volts/p.d. when no current in circuit energy are delivered/needed for every coulomb of V is the power to drive a current of 1 A	C	
	(d)	(i) se	ries connection shown, any recognisable symbol	s B	1
			tal power = 16 W OR 8/6 33 A accept fraction c.a.o.	C A	
	(by power \times any time or $16 \times 60 \times 60$ or IVt or 8×60 or 0.016 kWh or 28 800 J or 0.008 kWh	60 × 60 C	
9	(a)	or heat or charg	ater to higher level storage) water) any one ge accumulators/batteries) harge capacitor NOT generator	B	1
	(b)		energy/power/heat loss OR to reduce current llow thinner cables OR more efficient NOTHING	ELSE B	1
	(c)	I^2R		В	1
	(d)	$N_s/1200 = 32000/1100 \text{ OR } N_1/N_2 = V_1/V_2 \text{ in any arrangement}$ 34 880 or 34 900 or 34 909 or 34 910 or 35 000		nent C	
	(e)		wer = output power or $V_1I_1 = V_2I_2$ = power/voltage in any form, words, symbols or n	umbers C	1

Second variant Mark Scheme

Page 6			Mar			Mark Schei	me	Syllabus		Paper	
					IGCSE - O	october/No	vember 2	800	0625		32
10	(a)	(i)	(i) LDR correctly identified							B1	
	(ii)		lamp correctly identified						B1		
	(iii)		transistor correctly identified						B1		
	(b)	resist LDR	nore anything that is in terms of currents) sistance of LDR becomes high DR gets larger share of the voltage OR voltage across LDR gets bigger ansistor switches/turns lamp on						M1 A1 A1	[6]	
11	(a)	A B C D 4 cor	B Y plates OR vertical deflection platesC X plates OR horizontal deflection plates					S	B2		
	(b)	A; idea of releasing electrons/thermionic emission B; move the electron beam vertically							B1 B1		
	(c)	(i)	у-р	plates/y-	input or B	NO e.c.f.				B1	
		(ii)	x-p	plates/x-	input or C	NO e.c.f.				B1	[6]