

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2010 question paper

for the guidance of teachers

0625 PHYSICS

0625/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0625	31

Notes about Mark Scheme Symbols and Other Matters

- B marks are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o. means "correct answer only".
- e.c.f. means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o. means "each error or omission".
- brackets () around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.

	Page 3		Mark Scheme: Teachers' version	Syllabus	Paper	Paper	
			IGCSE – May/June 2010	0625	31		
1	. ,	constant	es / braking / decelerating) : / steady / nothing) all 3 es / accelerate)		B1		
			time in any form, symbols, numbers or words area under graph used or stated OR 24 (s) seen or used in correct context		C1 C1 A1		
	(c)	rate of cł	hange of speed OR gradient of graph OR 18/12		C1		
		18 (m/s) 1.5 m/s²	OR 12 (s) seen or used in correct context		C1 A1		
			adient / slope OR equal speed changes in equal tin aph symmetrical	nes OR	B1	[8]	
2		½mv² O 405 000	$PR \frac{1}{2} \times 900 \times 30^2$ J		C1 A1		
	• •		listance OR 2000 x 30 I OR 60 kJ		C1 A1		
	(c)	60 000 V	V OR 60 000 J/s OR 60kW OR 60 kJ/s ecf from	(b)	B1		
	(d)	chemical	I		B1		
			energy loss / heat / sound / inefficiency / energy used ty of increase in P.E. Ignore work done against aga		B1	[7]	
3			ment re-written to include force in first gap and <u>inver</u> onal to mass in second gap. NOT indirectly proportio		B1		
	(b)	F = ma	OR in words in any correct arrangement		B1		
	(c)	• •	ning OR continues as before OR same / constant view / constant view / constant speed & direction OR no acceleration	velocity OR	B1		
			of retardation. Ignore stop. Ignore brakes. Ignore go osite direction	bes in	B1		
		• •	res in (arc of a) circle or curve OR deflected OR tunges direction	irns OR	B1	[5]	

	Pa	ge 4			Syllabus	Paper	•
			IGCSE – May/June 2010 0625		0625	31	
4	(a)	matt	black			B1	
	(b)	(i)	. down and R up, equal amounts (by	/ eye)		B1	
			on black side or on left (more) energ emp rise OR heats up quicker	y / heat absorbed	OR greater	B1	
			on black side or on left greater expa	nsion of air / greate	r pressure of air	B1	[4]
5	(a)		<u>ay</u> / <u>heat</u> required to change state / phase	bhase / any exampl	e of change of	M1	
		OR	no change in temperature / at a spe nergy to break bonds between mole no change in K.E.			A1 M1 A1	
	(b)	any time or range of time between 1.6 (min) and 14.0 (min) inclusive [no UP]				B1	
	(c)	turns substance to gas / vapour OR causes evaporation OR escape from liquid				C1	
		energy to break bonds/separate molecules/overcome intermolecular forces Ignore move faster / PE increases				A1	
	(d)	(i) Pt / 2 × 4 / 2000 × 4 / 2 × 240 / 2000 × 240 / 8 / 8000 / 480 / 480000 480 000 J OR 480 kJ		C1 A1			
		 (ii) (θ =) 43 (°C) seen anywhere Q = mcθ OR 480000 = m x 1760 × 43 in any form ecf. from (i) 6.34 kg or 6.3 kg ecf. 		f. from (i)	C1 C1 A1	[10]	
6	(a)	(i)	ame / unchanged / nothing			B1	
		(ii)	educed / slows down			B1	
		(iii) reduced				B1	
	(b)	v = $f\lambda$ in any form or in words [not numbers] OR f =1/T in any form or in words [not numbers] 0.12 = f × 0.08 OR T = 0.08 / 0.12 1.5 Hz / cycles per sec / c.p.s. / per s		B1 C1 A1			
		[only 2 marks if B1 mark above not scored]					

Pa	ige 5	Mark Scheme: Teachers' version	Syllabus	Paper	
		IGCSE – May/June 2010	0625	31	
c)	hav	A B (out of the second of the			
	(ignor waves A and	e length of waves) bending in correct direction (be generous) B correct by eye, straight and parallel D parallel to A and B by eye		M1 A1 A1	[9
′ (a)	idea o	f light travelling (much) faster than sound		B1	
(b)	(i) 4	0 (min)		B1	
		ways a (measurable) time difference / never zero time nore time would be less	difference	B1	
		stance/time in any form, symbols, words, numbers O 33.3 m/s to 2 or more sig figs	R 1200/3.6	C1 A1	
	0	ea of light travelling instantaneously OR no wind R idea of lightning at ground level OR no obstruction nore echoes	to sound	B1	

(c)

	light waves	sound waves
longitudinal		\checkmark
transverse	\checkmark	
electromagnetic	\checkmark	
mechanical		\checkmark

-1 e.e.o.o. i.e. 1 mark subtracted from <u>3</u> for each error or omission B3 [9]

	Page 6		Mark Scheme: Teachers' version Sy			ous	Paper
				IGCSE – May/June 2010	062		31
8	(a)	(i)		$I_2 = V_1/V_2$ in any form, symbols, words or numbers turns) [possible unit penalty]	S		C1 A1
		(ii)	men	tion of magnetic / electromagnetic field)			
				nge of flux linkage / magnetism) field lines being cut)	any 3	B1 >	· 3
			Indu	iced current / emf / voltage			
				er coils in secondary so smaller emf / voltage larger current)			
	(iii)	eddy mag	t in either coil / wires) y currents in core / heat in core) a netic leakage from core) nd from core/coil)	any 1	I	31
	(b)	(i)	12 V	/ <u>d.c</u> . OR low <u>d.c</u> .voltage		I	31
		(ii)	diod	e OR rectifier [Ignore extras unless wrong]		ł	31
				I_2 in any form, or words or numbers ver in = power out or equivalent		(C1
	ł	8 A					A1 [10]
9				er – field / magnetism / flux inger – current / charge flow (NOT electron flow))) both	I	31
	(b)	(i)		h OR contact OR <u>sliding</u> connector ring OR commutator NOT slip ring			31 31
		(ii)		kwise OR right side down OR left side up OR og gure NOT turn to the right	correct arrov		31
	(<u>i</u> iii)	more stror close more	e current / more voltage / "stronger battery" / more e turns on coil / more coils nger magnet Ignore bigger magnets er magnet / magnetic poles e magnets core	e power)))))	any 2 B1, I	31 [6]

	Page 7		Mark Scheme: Te		Syllabus	Paper	
			IGCSE – May	y/June 2010	0625	31	
10	(a)		umber OR atomic numbe ition in periodic table OR		ns / electrons	B1	
	(b)	•	umber)OR_nucleon numl mber of) protons <u>plus</u> (num	. ,	trons / nucleons	B1	
	(c)	 (i) mass (number) OR nucleon number OR (number of) nucleons OR (number of) protons <u>plus</u> (number of) neutrons 				B1	
		 (ii) proton number OR atomic number OR (number of) neutrons OR (number of) protons / neutrons / electrons OR position in periodic table OR chemical properties OR a neutron changes into a proton 			B1	[4]	
11	(a)	(i) 4 Ω				B1	
		`		possible ecf from (i)	numbers	C1 C1 A1	
	(b)	R = ρL/4	A OR R∝L/A OR R∝L	and $R \propto 1/A$ or $1/d^2$ or	1/r ²	C1	
		$R_2 = (0.4)$	1 OR A2 = 0.25A1 45/0.3) × R1 OR (3/2) x R 0.375 OR 37.5 %	1		C1 C1 A1	
			A OR R \propto L/A OR R \propto L	and $R \propto 1/A$ or $1/d^2$ or	1/r ²	C1	
		Resistar	nce of thinner wire with sar	ne length as thicker wire :	= 4 × 4 = 16 Ω	C1	
		Actual re	esistance of thinner wire =	1.8 /0.3 = 6.0 Ω		C1	
		Ratio: L	of thinner wire / L of thicke	er wire = 6.0 / 16 = 3/8 = 0	0.375 = 37.5 %	A1	[8]